


Pilot's Guide to Washington Airports



**Washington State
Department of Transportation**
Aviation Division

Pilot's Guide to Washington Airports



**Washington State
Department of Transportation**

Aviation Division
3704 172nd Street NE, Suite K2
Arlington, Washington 98223

(360) 651-6300
1-800-552-0666 (inside WA only)

Fax (360) 651-6319
Website: www.wsdot.wa.gov/aviation

Introduction

Washington State Department of Transportation (WSDOT) Aviation is responsible for furthering the public interest and aviation progress by providing for the protection and promotion of safety in aviation. The publication of a convenient and useful directory of public airports and related facilities is regarded by the Division to serve both the public interest and the promotion of aviation safety.

WSDOT Aviation does not assume responsibility for incomplete or inaccurate information contained herein due to problems in obtaining current information on the ever-changing airport conditions and service facilities.

For complete safety information, the pilot should consult the *Aeronautical Information Manual* (AIM), FAA Airport Facility Directory (AFD), or current navigation charts for safety of flight information. Additionally, the pilot should contact the Flight Service Station to determine conditions at an unfamiliar airport.

You are responsible for the safety of your flight.

This Guide design is based on written and verbal requests and suggestions made by you, the pilot. We are here to serve and encourage you to contact us with your comments, suggestions, and requests. We do save the comments and when it is time to publish the next edition, we will review the comments and suggestions for implementation in our next design.

Editor

This version of the Washington Airports
Pilot's Guide was edited by
WSDOT Aviation

Credits

WSDOT Aviation wishes to thank the
WSDOT Graphics Office
and the Washington State Department of Printing
for their assistance in the preparation of this guide.

Revision June 2004

0404-0107



On behalf of the Washington State Department of Transportation, welcome to Washington airports. As Director of Aviation and an active pilot, I am pleased to present to you the latest edition of the *Pilot's Guide to Washington Airports*. While there are many facility directories available, we have worked hard to make our guide useful, informative, and easy to use.

Whether for business or pleasure, I hope you will have the opportunity to visit one or more of the diverse public airports in Washington. You will find airports located conveniently in or near almost every community or geographic area in the state. Some of my personal favorites include the back country airports operated by our agency.

The Washington Aviation System is an important part of the overall transportation system. The maintenance of Washington's airports depends in part on fees generated by pilot and aircraft registration. This guide is just one of the benefits you will receive by being a registered aviator in Washington.

Thank you for your ongoing support of the Washington Aviation System. Your suggestions and comments are always appreciated.

Best wishes for a safe and pleasant flight!

John Sibold
Director of Aviation
Washington State Department of Transportation
siboldj@wsdot.wa.gov

State Owned and Operated Emergency/Recreation Airports


WSDOT Aviation operates 16 airports, offering a gateway to the beautiful backcountry of Washington State. The airfields, located primarily in regions that experience extreme climatic conditions, also provide strategic landing or staging sites for emergency medical air response, transport, evacuation points, and fire fighting.

In addition to facilitating essential emergency operations, the state airports also supply a wide range of recreational opportunities for Washington residents and visitors. Many airfields have developed campgrounds that range from primitive to modern. Camping, hiking, and fishing can be enjoyed at all of the airports, in many cases, without even leaving a facility.

The Adopt-an-Airport Program for the state airports has promoted a higher level of care for those remote strips, while greatly increasing general usage. This enables pilots from all over the state to participate in the state aviation at a grass roots level, helping to preserve these important assets and protect the future of aviation.

Airport are seasonal due to soft fields.

State Owned and Operated Emergency/Recreation Airports
(Continued)



State Airport	Located Near (City/County)	Page
Avey	Laurier, Ferry County.....	55
Bandera.....	Bandera, King County	6
Copalis Beach	Copalis Beach, Grays Harbor	28
Easton.....	Easton, Kittitas County	32
Lake Wenatchee	Leavenworth, Chelan County.....	56
Little Goose Dam	Starbuck, Columbia County.....	112
Lower Granite	Colfax, Whitman County	23
Lower Monumental	Kahlotus, Walla Walla County	49
Methow Valley.....	Winthrop, Okanogan County	134
Ranger Creek	Greenwater, Pierce County	45
Rogersberg	Anatone, Asotin County.....	96
Skykomish	Skykomish, King County	104
Stehekin.....	Stehekin, Chelan County	113
Sullivan Lake.....	Metaline Falls, Pend Oreille County	64
Tieton.....	Rimrock, Yakima County.....	92
Woodland.....	Woodland, Cowlitz County	135

Abbreviations

The following abbreviations are used in this guide.

APP	Approach Control
ARTCC	Air Route Traffic Control Center
ASOS	Automated Surface Observing System
ATIS	Automatic Terminal Information Service
AWOS	Automatic Weather Observation System
CL DEL	Clearance Delivery
CTAF	Common Traffic Advisory Frequency
DEP	Departure Control
DME	Distance Measuring Equipment
EFAS	Enroute Flight Advisory Service...122.0
FSS	Flight Service Station
GRND	Ground Control
HIRL	High Intensity Runway Lights
ILS	Instrument Landing System
L	Lighted
LIRL	Low Intensity Runway Lights
LOC	Localizer
LOM	Locator at Outer Marker
MIRL	Medium Intensity Runway Lights
MSL	Mean Sea Level
NDB	Nondirectional Beacon
NM	Nautical Miles
NSTD	Non Standard
PCL	Pilot Controlled Lighting
RCO	Remote Communications Outlet
REIL	Runway End Identifier Lights
RWY	Runway
SPB	Seaplane Base
TPA	Traffic Pattern Altitude (MSL)
UNICOM	Radio Advisory
VASI	Visual Approach Slope Indicator
VDF	VHF Direction Finding Equipment
VOR	VHF Omni Range
VOT	VOR Receiver Accuracy Test Facility
	Lighted Runway
	Pilot Controlled Runway Lights
	Windsock (approximate location)
	Windsock Lighted (approximate location)
	Runway closed

Airport Index

City	Airport	Page
Almira	J-Z	1
Anacortes	Anacortes	2
Anacortes	Skyline SPB	3
Arlington	Arlington Municipal	4
Auburn	Auburn Municipal	5
Bandera	Bandera State	6
Battle Ground	Cedars North	7
Battle Ground	Goheen	8
Bellingham	Bellingham International	9
Bellingham	Floathaven SPB.....	10
Blaine	Blaine Municipal	11
Bremerton	Bremerton National	12
Brewster	Anderson Field.....	13
Burlington/Mt. Vernon	Skagit Regional (Bayview)	14
Camas	Grove Field	15
Cashmere	Cashmere-Dryden	16
Chehalis	Chehalis-Centralia	17
Chelan	Chelan Municipal	18
Chewelah	Sand Canyon	19
Clayton	Cross Winds	20
Cle Elum	Cle Elum Municipal	21
Cle Elum	De Vere Field.....	22
Colfax	Lower Granite State	23
Colfax	Whitman County Memorial	24
College Place	Martin Field.....	25
Colville	Colville Municipal	26
Concrete	Concrete Municipal	27
Copalis Beach	Copalis State.....	28
Dalles, The (Oregon)	The Dalles Municipal	119
Darrington	Darrington Municipal	29
Davenport	Davenport Municipal	30
Deer Park	Deer Park Municipal	31
Dryden (<i>Cashmere</i>)	Cashmere-Dryden	16
Easton	Easton State	32
Eastsound	Orcas Island.....	33
Eatonville	Swanson Field	34
Electric City	Grand Coulee Dam.....	35
Ellensburg	Bowers Field	36

Airport Index

City	Airport	Page
Elma	Elma Municipal	37
Ephrata	Ephrata Municipal	38
Everett	Snohomish County (Paine Field)	39
Forks	Forks Municipal	40
Friday Harbor	Friday Harbor	41
Friday Harbor	Friday Harbor SPB	42
Goldendale	Goldendale	43
Goldendale	Hillcrest	44
Greenwater	Ranger Creek State	45
Hoquiam	Bowerman Field	46
Ilwaco	Port Of Ilwaco	47
Ione	Ione Municipal	48
Kahlotus	Lower Monumental State	49
Kelso	Kelso-Longview	50
Kenmore (Lake Washington)	Kenmore Air Harbor	51
Kennewick	Vista Field	52
Kent	Crest Airport	53
Lake Washington (Kenmore)	Kenmore Air Harbor (SPB)	51
Langley	Whidbey Airport	54
Laurier	Avey Field State	55
Leavenworth	Lake Wenatchee State	56
Lind	Lind Municipal	57
Longview (Kelso)	Kelso-Longview	50
Lopez	Lopez Island	58
Lynden	Lynden Municipal	59
Mansfield	Mansfield	60
Mattawa	Desert Aire	61
Mazama	Lost River Resort	62
Mead	Mead Flying Service	63
Metaline Falls	Sullivan Lake State	64
Monroe	Firstair Field	65
Morton	Strom Field	66
Moses Lake	Grant County	67
Moses Lake	Moses Lake Municipal	68
Moscow, Idaho (Pullman)	Pullman-Moscow Regional	84
Mt. Vernon/Burlington	Skagit Regional (Bayview)	14

Airport Index

City	Airport	Page
Oak Harbor	Wes Lupien.....	69
Ocean Shores	Ocean Shores Municipal	70
Odessa	Odessa Municipal	71
Okanogan	Okanogan Legion	72
Olympia	Hoskins Field	73
Olympia	Olympia Municipal.....	74
Omak	Omak Municipal.....	75
Oroville	Dorothy Scott	76
Othello	Othello Municipal	77
Packwood	Packwood	78
Pasco	Tri-Cities	79
Port Angeles	Wm. R. Fairchild International	80
Port Townsend	Jefferson County	81
Poulsbo	Port of Poulsbo Marina Moorage (SPB)	82
Prosser	Prosser.....	83
Pullman-Moscow, Idaho	Pullman-Moscow Regional.....	84
Puyallup	Pierce County-Thun Field	85
Quillayute	Quillayute	86
Quincy	Quincy Municipal	87
Raymond/South Bend	Willapa Harbor.....	107
Renton	Renton Municipal	88
Renton	Will Rogers/Wiley Post Memorial (SPB).....	89
Republic	Ferry County	90
Richland	Richland	91
Rimrock	Tieton State	92
Ritzville	Pru Field	93
Roche Harbor	Roche Harbor SPB	94
Rochester	R & K Skyranch	95
Rogersberg.....	Rogersberg State.....	96
Rosalia	Rosalia Municipal	97
Rosario	Rosario SPB	98
Seattle	Boeing Field/King County International.....	99
Seattle	Seattle-Tacoma International	100
Sekiu	Sekiu	101
Sequim	Sequim Valley	102
Shelton	Sanderson Field	103
Skykomish	Skykomish State	104
Snohomish	Harvey Field	105

Airport Index

City	Airport	Page
South Bend/Raymond	Willapa Harbor	106
Spanaway	Shady Acres	107
Spanaway	Spanaway	108
Spokane	Felts Field	109
Spokane	Spokane International.....	110
Stanwood	Camano Island Airfield	111
Starbuck	Little Goose Lock & Dam State	112
Stehekin	Stehekin State.....	113
Sultan	Sky Harbor	114
Sunnyside	Sunnyside Municipal	115
Tacoma	American Lake SPB	116
Tacoma	Tacoma Narrows.....	117
Tekoa	Willard Field	118
The Dalles, Oregon	The Dalles Municipal	119
Toledo	Toledo - Winlock - Ed Carlson Memorial	120
Tonasket	Tonasket Municipal.....	121
Twisp	Twisp Municipal	122
Vancouver	Evergreen Field	123
Vancouver	Fly For Fun	124
Vancouver	Pearson Field.....	125
Vashon	Vashon Municipal	126
Walla Walla	Walla Walla Regional	127
Warden	New Warden	128
Waterville	Waterville.....	129
Wenatchee	Pangborn Memorial	130
Westport	Westport	131
Wilbur	Wilbur Municipal	132
Wilson Creek	Wilson Creek	133
Winlock (<i>Toledo</i>)	Toledo - Winlock - Ed Carlson Memorial	120
Winthrop	Methow Valley State	134
Woodland	Woodland State	135
Yakima	McAllister Field	136
Yelm	Western Airpark.....	137

Almira / J-Z / 1W0



Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM

Navigation

Elevation: 1950'
 Latitude: N 47° 43.33'
 Longitude: W 118° 56.57'
 PCL:
 Runway: 16/34; 1900'x48';
 Turf-Gravel
 Lights:
 Indicator: Wind
 Obstacles Grain bins
 From City 01 N
 TPA:

Services

Fuel: None
 Services: None
 Manager: 509-639-2601

Notes Runway rough.
 Open April thru October.

Page
 1

Anacortes / **Anacortes** / 74S



Communications

ATIS
 Tower
 CTAF 128.25
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS Whatcom VORTAC
 113.0 167°
 27.0 NM to field
 FSS
 UNICOM

Navigation

Elevation: 241'
 Latitude: N 48° 49.94'
 Longitude: W 122° 39.74'
 PCL: CTAF
 Runway: 18/36; 3015'x60'; Asphalt
 Lights: Dusk-dawn, Med
 Indicator: Wind; seg circle
 Obstacles: Ditches alongside runway
 From City: 02 W
 TPA:


Services

Fuel: 100
 Services: Major Airframe and
 Power Plant
 Manager: 360-293-3134

Notes Right hand traffic runway 18.
 Military arrival corridor.

Page
 2

Anacortes / Skyline SPB / 21H



NW/SE; 5000'x2500'; Water

Communications

ATIS
Tower
CTAF 128.25
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 0
Latitude: N 48° 28.99'
Longitude: W 122° 41.08'
PCL:
Runway: NW/SE; 5000'x2500'; Water
Lights:
Indicator: Wind
Obstacles:
From City: 03 W
TPA:


Services

Fuel: None
Services: None
Manager: 360-293-3134

Notes Prevailing wind from SE.

Page
3

Arlington / **Arlington Municipal** / AWO



Communications

ATIS
 Tower
 CTAF 122.7
 Ground
 NDB (LOM)
 APP/DEP 128.5
 LOC 111.5 RWY 34
 VOT
 CL DEL
 NAVAIDS WATON NDB (LOM) 382
 337° 5.1 NM to field
 FSS
 UNICOM 122.7
 AWOS-3 135.625 / 360-435-8045

Navigation

Elevation: 137'
 Latitude: N 48° 09.65'
 Longitude: W 122° 09.54'
 PCL: CTAF
 Runway: 11/29; 3500'x75'; Asphalt
 16/34; 5333'x100'; Asphalt
 Lights: Dusk-dawn, Med
 Indicator: Wind; Seg circle
 Obstacles
 From City: 03 SW
 TPA:


Services

Fuel: 100, 80, Jet A
 Services: Major Airframe and
 Power Plant
 Manager: 360-403-3470

Notes

Right traffic runways 11 and 16. Glider, Ultralight, Hot Air Balloon activity. AWOS 135.625.

Auburn / Auburn Municipal / S50



Communications

ATIS
 Tower
 CTAF 122.8
 Ground
 NDB (LOM)
 APP/DEP See SEATAC Airport
 ILS/DME
 VOT
 CL DEL
 NAVAIDS 116.8 SEA 130°
 7.3 NM TO field
 FSS
 UNICOM 122.8

Navigation

Elevation: 57'
 Latitude: N 47° 19.69'
 Longitude: W 122° 13.59'
 PCL: CTAF
 Runway: 16/34; 3400'x75'; Asphalt
 Lights: Dusk-dawn, Med
 Activate VASI RWY 34;
 REIL RYS 16 & 39
 Indicator: Wind-L; Seg circle
 Obstacles: Transmission lines N of field
 From City: 02 N
 TPA: 1057'

Services

Fuel: 100LL
 Services: Major Airframe and
 Power Plant
 Manager: 253-333-6821

Notes Right hand traffic runway 16.
 Ultralights and hot air balloons prohibited. Watch for birds.

Page
 5

Bandera / **Bandera State** / 4W0



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM

Navigation


Elevation: 1636’
Latitude: N 47° 23.44’
Longitude: W 121° 32.11’
PCL:
Runway: 08/26; 2344’x100’; Turf
Lights:
Indicator: Wind
Obstacles: Trees
From City: 14E North Bend
TPA: 2436’

Services

Fuel: None
Services: None
Manager: WSDOT Aviation
1-800-552-0666
(Washington State only)
360-651-6300

Notes: Use at own risk. Overflight recommended. Check NOTAMS or call WSDOT Aviation for latest information.

Battle Ground / **Cedars North** / W58



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP 133.0
ILS/DME
VOT
CL DEL
NAVAIDS 116.6 BTG 055
4 NM to field
FSS
UNICOM 122.9


Navigation

Elevation: 275´
Latitude: N 45° 45.87´
Longitude: W 122° 30.91´
PCL:
Runway: 08/26; 1960´x50´; Turf
Lights:
Indicator: Yes, Wind
Obstacles:
From City: 01 NW
TPA: 1100´

Services

Fuel: None
Services: None
Manager: 360-687-1208

Battle Ground / Goheen / W52



Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM

Navigation

Elevation: 285'
 Latitude: N 45° 49.66'
 Longitude: W 122° 34.57'
 PCL: CTAF
 Runway: 07/25; 1500'x48'; Turf
 15/33; 2600'x50'; Turf
 Lights: LIRL-NSTD
 Indicator: Wind
 Obstacles:
 From City: 03 NW
 TPA:


Services

Fuel: 100
 Services: Major Airframe and
 Power Plant
 Manager: 360-687-3038

Notes Runway 07/25 for emergency use only.
 Culvert in center of runway 15/33.

Page
 8

Bellingham / **Bellingham International** / BLI



Communications

ATIS 134.45
 Tower 124.9
 CTAF 124.9
 Ground 127.4
 NDB (LOM) 338
 APP/DEP Victoria approach 132.7
 ILS/DME 108.5
 VOT
 CL DEL
 NAVAIDS 113.0 BLI 150°
 9.3 NM to field
 FSS 122.15
 UNICOM 122.95
 ASOS 360-671-8688

Navigation

Elevation: 170'
 Latitude: N 48° 47.57'
 Longitude: W 122° 32.25'
 PCL:
 Runway: 16/34; 6701'x150'; Asphalt
 Lights: Dusk-dawn, High
 Indicator: Wind-L, Seg circle
 Obstacles: Trees
 From City: 03 NW
 TPA: 1200' fixed wing; 700' helo
 2000' turbo

Services

Fuel: 100LL, Jet A
 Services: Major Airframe and
 Power Plant
 Manager: 360-671-5674

Notes Right hand traffic on runway 16.
 Watch for birds.

Page
 9

Bellingham / Floathaven SPB / 0W7



12/30; 10000' x 4000'; Water

Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM

Navigation

Elevation: 307'
 Latitude: N 48° 43.69'
 Longitude: W 122° 20.16'
 PCL:
 Runway: 12/30; 10000'x4000'; Water
 Lights:
 Indicator: Wind
 Obstacles:
 From City: 06 SE
 TPA: 1107'


Services

Fuel: None
 Services: None
 Manager: 425-255-6500

Notes Watch for canoe, sailboat, and hang glider activity.

Page
10

Blaine / **Blaine Municipal** / 4W6



Communications

ATIS
Tower
CTAF 122.8
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM 122.8

Navigation

Elevation: 70’
Latitude: N 48° 59.37’
Longitude: W 122° 43.91’
PCL:
Runway: 14/32; 2490’x40’; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind; Seg circle
Obstacles: Brush, trees
From City: 01 E
TPA: 1000’


Services

Fuel: 100LL (24-hr fuel available
by credit card)
Services: Major Airframe and
Power Plant
Manager: 360-332-8311

Notes

Right hand traffic on runway 32.
Noise abatement. Depart to South; land to North.

Bremerton / **Bremerton National** / PWT



Communications

ATIS
Tower
CTAF 123.05
Ground.....
NDB (LOM) 206 PWT on airport
APP/DEP Seattle 127.1
ILS/DME 111.1
VOT.....
CL DEL.....
NAVAIDS
FSS
UNICOM..... 123.05
AWOS-3 121.2 / 360-674-2811

Navigation

Elevation: 439’
Latitude:..... N 47° 29.57’
Longitude:..... W 122° 45.75’
PCL: CTAF
Runway:..... 01/19; 6200’x150’; Asphalt
H1; 100’x100’; Asphalt
Lights:..... Dusk-dawn, High
Indicator:..... Wind-L; Seg circle
Obstacles: Trees, fence
From City: 07 SW
TPA: 1439’

Services

Fuel: A 100LL (24 hr fuel
available by credit card)
Services: Major Airframe and
Power Plant
Manager:..... 360-674-2381

Notes Runway 01/19 closed to ultralights. Rotorcraft use right traffic pattern.
RH Traffic on Runway 01

Brewster / Anderson Field / S97



Communications

ATIS
 Tower
 CTAF 122.8
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS 115.0 MWH 325°
 56.1 NM to field
 FSS
 UNICOM 122.8

Navigation

Elevation 914'
 Latitude N 48° 06.29'
 Longitude W 119° 43.24'
 PCL CTAF
 Runway: 07/25; 4000'x60'; Asphalt
 Lights: Dusk-dawn, Med
 Indicator: Wind; Seg Circle
 Obstacles: Trees, hill
 From City: 03 E
 TPA:

Services

Fuel 100LL Emergency Only
 Services Major Airframe and
 Power Plant
 Manager 509-689-3464

ATIS 134.15 (Whidbey NAS)
 Tower
 CTAF 123.05
 Ground
 NDB (LOM) 240 at field
 APP/DEP WHIDBEY 120.7
 ILS/DME
 VOT
 CL DEL 124.15
 NAVAIDS
 FSS
 UNICOM 123.05
 AWOS-3 121.125 / 360-757-7767

Elevation: 144'
Latitude:..... N 48° 28.25'
Longitude:..... W 122° 25.25'
PCL: CTAF
Runway:..... 04/22; 3000'x60'; Asphalt
 10/28; 5477'x100'; Asphalt
Lights:..... Dusk-dawn, Med
Indicator:..... Wind-L; Seg circle
Obstacles: Trees
From City: 03 W
TPA: 1144'

Fuel: 100 A
Services: Major Airframe and
Power Plant
Manager: 360-757-0011

Page
14

Camas / **Grove Field** / 1W1



Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL 121.65 (Portland)
 NAVAIDS
 FSS
 UNICOM

Navigation

Elevation: 430'
 Latitude: N 45° 37.67'
 Longitude: W 122° 24.26'
 PCL: CTAF
 Runway: 07/25; 2710'x40'; Asphalt
 Lights: CTAF
 Indicator: Wind; Seg circle
 Obstacles: Trees, telephone, and
 power poles
 From City: 03 N
 TPA:

Services

Fuel: 100 80
 Services: Major Airframe and
 Power Plant
 Manager: 360-835-2196

Notes Only 1804' of runway useable for night operations.

Cashmere / **Cashmere-Dryden** / 8S2



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM

Navigation


Elevation: 853´
Latitude: N 47° 30.89´
Longitude: W 120° 29.09´
PCL: 121.7
Runway 07/25; 1800´x50´; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind-L
Obstacles: Trees
From City: 00 SW
TPA:

Services

Fuel: None
Services: Major Airframe and
Power Plant
Manager: 509-782-5561

Notes None.

Chehalis / Chehalis-Centralia / CLS



Communications

ATIS
 Tower
 CTAF 122.8
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS 113.4 OLM 172°
 18.0 NM to field
 FSS
 UNICOM 122.8

Navigation

Elevation: 174'
 Latitude: N 46° 40.62'
 Longitude: W 122° 58.97'
 PCL: CTAF
 Runway: 15/33; 5000'x150'; Concrete
 Lights: Dusk-dawn, Med
 Indicator: Wind; Seg circle
 Obstacles: Trees
 From City: 01 W
 TPA:


Services

Fuel: A 100LL
 Services: Major Airframe and
 Power Plant
 Manager: 360-748-1230

Notes Right hand traffic on runway 15.
 Possible wildlife on runways.

Page
 17

Chelan / Chelan Municipal / S10



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 112.6 EPH 303°
36.1 NM to field
FSS
UNICOM 122.9

Navigation

Elevation: 1263'
Latitude: N 47° 51.96'
Longitude: W 119° 56.56'
PCL: CTAF
Runway: 02/20; 3503'x60'; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind; Seg circle
Obstacles: Road, trees
From City: 03 NE
TPA:


Services

Fuel: A 100LL
Services: Minor
Manager: 509-682-5976

Notes Right hand traffic on runway 02.

Page
18

Chewelah / **Sand Canyon** / 1S9



Communications

ATIS
Tower
CTAF 122.9
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL.....
NAVAIDS115.5 GEG 333°
45.2 NM to field
FSS
UNICOM.....

Navigation

Elevation: 2075´
Latitude:..... N 48° 18.85´
Longitude:..... W 117° 44.60´
PCL: CTAF
Runway:..... 17/35; 3446´x48´; Asphalt
Lights:..... Dusk-dawn, Med
Indicator:..... Wind; Seg circle
Obstacles: Trees, hill
From City: 02 N
TPA:

Services

Fuel: None
Services: None
Manager:..... 509-935-4852

An aerial photograph of a rural landscape. A road, identified by a '395' shield, runs diagonally from the bottom right towards the top. To the left of the road is a large, dark, forested area. Four study sites are marked with labels and lines: '13L' and '13R' are near the top of the forest, while '31L' and '31R' are further down. A megaphone icon is positioned between the top and bottom labels. A north arrow is in the top right corner.

ATIS	
Tower	
CTAF	122.9
Ground	
NDB (LOM)	
APP/DEP	
ILS/DME	
VOT	
CL DEL	
NAVAIDS	
FSS	
UNICOM	

Elevation: 2150'
Latitude:..... N 47° 58.99'
Longitude:..... W 117° 32.56
PCL:
Runway:..... 13L/31R; 3800'x125'; Turf
 13R/31L; 2065'x50'; Turf
Lights:.....
Indicator:..... Wind; Seg circle
Obstacles: Road, fence
From City: 02 SE
TPA: 3150'

Fuel: None
Services: None
Manager: 509-276-2552

Page
20

Cle Elum / **Cle Elum Municipal** / S93



Communications

ATIS
Tower
CTAF 122.9
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL.....
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 1945´
Latitude: N 47° 10.99´
Longitude:..... W 120° 53.07´
PCL: CTAF
Runway: 07/25; 2560´x40´; Asphalt
Light:..... Med
Indicator:..... Wind; Seg circle
Obstacles: Trees
From City: 01 E
TPA: 2945´

Services

Fuel: None
Services: None
Manager:..... 509-674-2262

Notes

Right hand traffic on runway 07. Trees in transition area.
Loose gravel on shoulders. Normally closed November thru April.

Cle Elum / De Vere Field / 2W1



Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM

Navigation

Elevation: 1800'
 Latitude: N 47° 10.66'
 Longitude: W 120° 51.16'
 PCL:
 Runway: 08/26; 2055'x30'; Asphalt
 Lights: Phone request - Low
 Indicator: Wind
 Obstacles: Trees
 From City: 03 E
 TPA:


Services

Fuel: None
 Services: Major Airframe and
 Power Plant
 Manager: 509-674-2627

Notes

Right hand traffic on runway 08.
 For airport lighting, call manager. Field occasionally closed in winter.

Colfax / Lower Granite State / 00W



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 719’
Latitude:..... N 46° 40.25’
Longitude:..... W 117° 26.34’
PCL:
Runway:..... 14/32; 3400’x50’; Gravel
Lights:.....
Indicator:..... Wind
Obstacles: Powerlines W and N
From City: 12 S
TPA: 1519’

Services

Fuel: None
Services: None
Manager:..... WSDOT Aviation
1-800-552-0666
(Washington State only)
360-651-6300

Notes: Use at own risk. Overflight
recomended. Check NOTAMS or call
WSDOT Aviation for latest information.

Notes Watch for pedestrians, vehicles, and animals on runway.
Runway soft when wet, extremely rough. Closed in winter.

Colfax / Whitman County Memorial / S94



Communications

ATIS
 Tower
 CTAF 122.8
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS 109.0 PUW 305°
 13.6 NM to field
 FSS
 UNICOM 122.8

Navigation

Elevation: 2171'
 Latitude: N 46° 51.52'
 Longitude: W 117° 24.85'
 PCL: CTAF
 Runway: 07/25; 3209'x60'; Asphalt
 Lights: NSTD
 Indicator: Wind-L
 Obstacles:
 From City: 03 SW
 TPA: 3000'


Services

Fuel: 100
 Services: None
 Manager: 509-397-2061

Notes

Farm machinery may be operating in fields off both runway ends.
 Some loose gravel on runway.

College Place / **Martin Field** / S95



Communications

ATIS
Tower
CTAF 122.8
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL.....
NAVAIDS 116.4 ALW 255°
5.8 NM to field
FSS
UNICOM..... 122.8

Navigation


Elevation: 750´
Latitude: N 46° 02.74´
Longitude: W 118° 25.07´
PCL: 122.8
Runway: 05/23; 3850´x60´
Lights: Yes, NSTD
Indicator: Yes, Wind
Obstacles: Approach ends
From City: 01 W
TPA:

Services

Fuel: 100LL Mogas
Services: Major
Manager: 509-522-1847

Notes Caution: Ultralight operations. Landing fee.

Colville / **Colville Municipal** / 63S



Communications

ATIS
Tower
CTAF 122.8
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM..... 122.8

Navigation


Elevation: 1878´
Latitude:..... N 48° 32.49´
Longitude:..... W 117° 53.07´
PCL: CTAF
Runway:..... 01/19; 2700´x40´; Asphalt
Lights:.....
Indicator:..... Wind
Obstacles:
From City: 01 E
TPA:

Services

Fuel: 100LL
Services: Major Airframe and
Power Plant
Manager:..... 509-684-1566

Notes Watch for deer on or near vicinity.

Concrete / Concrete Municipal / 3W5



Communications

ATIS	
Tower	
CTAF	122.9
Ground	
NDB (LOM)	
APP/DEP	
ILS/DME	
VOT	
CL DEL	
NAVAIDS	
FSS	
UNICOM	

Navigation

Elevation: 264´
Latitude: N 48° 31.62´
Longitude: W 121° 45.49´
PCL:
Runway: 07/25; 2580´x60´; Asphalt
H1; 40´x40´; Concrete
Lights:
Indicator: Wind
Obstacles: Hill, trees
From City: 01 S
TPA:


Services

Fuel: None
Services: None
Manager: 360-853-8401

Notes Right hand traffic on runway 07.
Pay telephone on airport.

Page
27

Copalis Beach / **Copalis State** / S16



Communications

ATIS
Tower
CTAF 122.9
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL.....
NAVAIDS
FSS
UNICOM.....

Notes: Use at own risk. Overflight recommended. Check NOTAMS or call WSDOT Aviation for latest information.

Navigation

Elevation: 01’
Latitude:..... N 47° 07.49’
Longitude:..... W 124° 11.08’
Runway:..... 14/32; 4500’x150’; Sand
Lights:.....
Indicator:.....
Obstacles: Rocks
From City: 02 NW
TPA: 801’

Services

Fuel: None
Services: None
Manager:..... WSDOT Aviation
1-800-552-0666
(Washington State only)
360-651-6300

Notes Right hand traffic on runway 14. Watch for pedestrians, vehicles, and animals on runway. Land on damp sand. Consult tide tables.

Darrington / Darrington Municipal / 1S2



Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM

Navigation

Elevation: 543'
 Latitude: N 48° 15.49'
 Longitude: W 121° 36.57'
 PCL: CTAF
 Runway: 10/28; 2490'x40'; Asphalt
 Lights: Dusk-dawn, Med
 Indicator: Wind
 Obstacles: Trees
 From City: 00 N
 TPA:

Services

Fuel: None
 Services: None
 Manager: 360-436-1131

Notes

Turbulent air on hot days. Closed when snow on runway.
 Taxiways marked with blue reflectors.

Davenport / **Davenport Municipal** / 68S



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 115.5 GEG 263°
22.6 NM to field
FSS
UNICOM.....

Navigation

Elevation: 2421’
Latitude: N 47° 39.22’
Longitude: W 118° 10.11’
PCL:
Runway: 03/21; 2185’x45’; Gravel
05/23; 3126’x50’; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind-L
Obstacles: Trees
From City: 01 W
TPA:

Services

Fuel: 100LL
Services: Minor
Manager: 509-725-4352

Notes Right hand traffic on runways 23 and 21.
Caution: Parachute jumping in area.

Deer Park / **Deer Park Municipal** / DEW



Communications

ATIS
 Tower
 CTAF 123.0
 Ground
 NDB (LOM) 216 on field
 APP/DEP 123.75 (Spokane)
 ILS/DME
 VOT
 CL DEL
 NAVAIDS 115.5 GEG 358°
 25.4 NM to field
 FSS
 UNICOM 123.0
 ASOS 135.175 / 509-276-2303


Navigation

Elevation: 2210'
 Latitude: N 47° 58.00'
 Longitude: W 117° 25.60'
 PCL:
 Runway: 04/22; 3200'x60'; Asphalt
 16/34; 6100'x75'; Asphalt
 Lights: Dusk-dawn, Med
 Indicator: Wind-L; Seg circle
 Obstacles: Trees
 From City: 03 NE
 TPA:

Services

Fuel: 100 LL
 Services: Major Airframe and
 Power Plant
 Manager: 509-276-8663

Easton / **Easton State** / ESW



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Notes: Use at own risk. Overflight recommended. Check NOTAMS or call WSDOT Aviation for latest information.

Navigation


Elevation: 2221’
Latitude: N 47° 15.24’
Longitude: W 121° 11.32’
PCL:
Runway: 09/27; 2640’x100’; Turf
Lights: Dusk-dawn, Med
Indicator: Wind
Obstacles: Trees
From City: 02 N
TPA: 3021’

Services

Fuel: None
Services: None
Manager: WSDOT Aviation
1-800-552-0666
(Washington State only)
360-651-6300

Notes Watch for pedestrians, vehicles, and animals on runway.
Runway soft when wet. Closed in winter.

Eastsound / Orcas Island / ORS



Communications

ATIS
 Tower
 CTAF 128.25
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM

Navigation

Elevation: 31'
 Latitude: N 48° 42.49'
 Longitude: W 122° 54.63'
 PCL: CTAF
 Runway: 16/34; 2900'x60'; Asphalt
 Lights: Dusk-dawn, Low
 Indicator: Wind-L; Seg circle
 Obstacles: Trees
 From City: 01 N
 TPA: 1031'


Services

Fuel: 100 LL
 Services: None
 Manager: 360-376-5285

Notes

Right hand traffic on runway 34. Watch for deer on runway.
 Observe noise abatement procedures.

Eatonville / Swanson Field / 2W3



Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS 109.6 TCM 130°
 18.8 NM to field
 FSS
 UNICOM

Navigation

Elevation: 850'
 Latitude: N 46° 52.31'
 Longitude: W 122° 15.44'
 PCL: 122.8
 Runway: 16/34; 2990'x36'; Asphalt
 Lights: Dusk-dawn, Med
 Indicator: Wind; Seg circle
 Obstacles: Trees in approach
 From City: 01 NE
 TPA: 1650'

Services

Fuel: None
 Services: Major Airframe and
 Power Plant
 Manager: 360-832-6215

Notes Right hand traffic on runway 16.
 Watch for deer on airport.

Page
 34

Electric City / **Grand Coulee Dam** / 3W7



Communications

ATIS
Tower
CTAF 122.9
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT.....
CL DEL.....
NAVAIDS 112.6 EPH 002°
 35.6 NM to field
FSS
UNICOM.....

Navigation


Elevation: 1590’
Latitude:..... N 47° 55.41’
Longitude:..... W 119° 04.83’
PCL: 122.9
Runway:..... 03/21; 4200’x75’; Asphalt
Lights:..... Dusk-dawn, Med
Indicator:..... Wind-L; Seg circle
Obstacles: Hill
From City: 02 SW
TPA:

Services

Fuel: None
Services: None
Manager:..... 509-633-1946 (night)

Notes Right hand traffic on runway 21.

Ellensburg / **Bowers Field** / ELN



Communications

ATIS
Tower
CTAF 123.0
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 117.9 ELN 259°
3.0 NM to field
FSS 122.2
UNICOM 123.0
ASOS 118.375 / 509-925-2040

Navigation


Elevation: 1763´
Latitude: N 47° 01.98´
Longitude: W 120° 31.84´
PCL: CTAF
Runway: 07/25; 5590´x150´; Asphalt
11/29; 4300´x150´; Asphalt
Lights: NSTD
Indicator: Wind-L; Seg circle
Obstacles:
From City: 02 N
TPA: 2597´

Services

Fuel: A 100
Services: Major Airframe and
Power Plant
Manager: 509-962-7523

Notes Runway 07/25 closed November 1 thru March 31.

Elma / **Elma Municipal** / 4W8



Communications

ATIS
Tower
CTAF 122.8
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL.....
NAVAIDS
FSS
UNICOM..... 122.8

Navigation


Elevation: 28’
Latitude: N 46° 59.42’
Longitude: W 123° 25.84’
PCL: CTAF
Runway: 07/25; 2275’x30’; Asphalt
Lights:
Indicator: Wind-L
Obstacles: Trees
From City: 01 SW
TPA: 828’

Services

Fuel: None
Services: None
Manager: 360-482-2228

Notes Right hand traffic on runway 07.

Ephrata / Ephrata Municipal / EPH



Communications

ATIS
 Tower
 CTAF 122.8
 Ground.....
 NDB (LOM)
 APP/DEP 126.4 (Grant Cnty)
 ILS/DME
 VOT.....
 CL DEL.....
 NAVAIDS 112.6 EPH 201°
 5.7 NM to field
 FSS 122.2
 UNICOM..... 122.8
 ASOS 135.775 / 509-754-3761

Navigation

Elevation: 1276'
 Latitude:..... N 47° 18.46'
 Longitude:..... W 119° 30.95'
 PCL:
 Runway:..... 02/20; 6700'x150'; Asphalt
 11/29; 3843'x150'; Concrete
 Lights:..... Dusk-dawn, High
 Indicator:..... Wind-L; Seg circle
 Obstacles:
 From City: 02 SE
 TPA:


Services

Fuel: 100LL
 Services: Major Airframe and
 Power Plant
 Manager:..... 509-754-3508

Notes Right hand traffic on runway 02. Heavy glider activity April thru
 October. AG operations April thru September.

Page
 38

Everett / Snohomish County (Paine Field) / PAE



Communications

ATIS 128.65
 Tower 132.95 (West of airport)
 120.2 (East of airport)
 CTAF 132.95
 Ground 121.8
 NDB (LOM) 396 158° 8.8 NM to field
 APP/DEP 128.5
 ILS/DME 109.3
 VOT
 CL DEL 126.75
 NAVAIDS 110.6 PAE at field
 FSS 122.55
 UNICOM 122.95
 ASOS 425-355-6192

Navigation

Elevation: 606'
 Latitude: 47-54-27N
 Longitude: 122-16-54W
 PCL: CTAF
 Runway: 11/29; 4504'x75'; Asphalt
 16L/34R; 3000'x75'; Asphalt
 16R/34L; 9010'x150';
 Asphalt
 Lights: Dusk-dawn, Med
 Indicator: Wind-L
 Obstacles:
 From City: 06 SW
 TPA: 1606'


Services

Fuel: A 100LL
 Services: Major Airframe and
 Power Plant
 Manager: 425-353-2110

Notes Right hand traffic on runway 16R and 34R. Noise abatement
 procedures. Call Operations at 425-253-2110, ext. 2230.

Page
 39

Forks / Forks Municipal / S18



Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM

Navigation

Elevation: 296'
 Latitude: N 47° 56.49'
 Longitude: W 124° 23.58'
 PCL:
 Runway: 04/22; 2400'x75'; Asphalt
 Lights: Dusk-dawn, Med
 Indicator: Wind; Seg circle
 Obstacles:
 From City: 01 SW
 TPA:


Services

Fuel: 80
 Services: None
 Manager: 360-374-5412

Notes Right hand traffic on runway 22.

Page
40

Friday Harbor / **Friday Harbor** / FHR



Communications

ATIS 134.15 (Whidbey NAS)
 Tower
 CTAF 128.25
 Ground
 NDB (LOM) 284 FHR
 APP/DEP 118.2 (Whidbey)
 ILS/DME
 VOT
 CL DEL 124.15
 NAVAIDS 113.0 BLI 195°
 31.0 NM to airport
 FSS
 UNICOM 122.8
 ASOS 135.675 / 360-378-8491

Navigation

Elevation: 113´
 Latitude: N 48° 31.32´
 Longitude: W 123° 01.46´
 PCL: CTAF
 Runway: 16/34; 3400´x75´; Asphalt
 Lights: High
 Indicator: Wind-L; Seg circle
 Obstacles:
 From City: 00 SW
 TPA:

Services

Fuel: 100
 Services: Major Airframe and
 Power Plant
 Manager: 360-378-4724

Notes Right hand traffic on runways 16 and 34.

Page
41

03/21; 10000'x2000'; Water

12/30; 6000'x1000'; Water

Floats

Ferry Terminal


ATIS	
Tower	
CTAF	128.25
Long.....	
IFR	
Ground.....	
NDB (LOM)	
APP/DEP	
ILS/DME	
VOT	
CL DEL	
NAVAIDS	
FSS	
UNICOM	

Elevation:0´
Latitude:..... N 48° 32.24´
Longitude:..... W 123° 00.58´
PCL:
Runway:..... 03/21; 10000´x2000´; Water
 12/30; 6000´x1000´; Water
Lights:.....
Indicator:..... Wind
Obstacles:
From City:00 NE
TPA:800´

Fuel: None
Services: None
Manager: 360-378-2688

Page
42

Goldendale / **Goldendale** / S20



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 112.3 LTJ 036°
13.1 NM to field
FSS
UNICOM

Navigation


Elevation: 1660’
Latitude: N 45° 49.84’
Longitude: W 120° 50.25’
PCL:
Runway: 07/25; 3490’x40’; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind
Obstacles: Fence, trees
From City: 01 NW
TPA:

Services

Fuel: None
Services: None
Manager: 509-773-3771

Notes None.

Goldendale / **Hillcrest** / S20



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM

Navigation

Elevation: 1660’
Latitude: N 45° 49.50’
Longitude: W 120° 50.15’
PCL:
Runway: 07/25; 3491’x40’; Asphalt
Lights:
Indicator: Wind
Obstacles: Trees
From City: 01 NW
TPA:

Services

Fuel: None
Services: None
Manager: 509-773-5674

Notes

Runway 25 right hand traffic. Possible downdraft runway 07.
Watch for wildlife. Monitor 122.9 due to Goldendale City traffic.

Greenwater / **Ranger Creek State** / 21W



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 109.6 TCM 080°
 39.3 NM to field
FSS
UNICOM.....

Notes: Use at own risk. Overflight recommended. Check NOTAMS or call WSDOT Aviation for latest information.

Navigation

Elevation: 2650’
Latitude:..... N 47° 00.77’
Longitude:..... W 121° 32.01’
PCL:
Runway:..... 15/33; 2876’x30’; Asphalt
Lights:.....
Indicator:.....
Obstacles: Trees
From City: 10 SE
TPA: 3450’

Services

Fuel: None
Services: None
Manager:..... WSDOT Aviation
 1-800-552-0666
 (Washington State only)
 360-651-6300

Hoquiam / **Bowman Field** / HQM



Communications

ATIS
Tower
CTAF 122.7
Ground
NDB (LOM) 236
APP/DEP
ILS/DME 108.7
VOT
CL DEL
NAVAIDS 117.7 HQM 062°
8.9 NM to field
FSS 122.2
UNICOM 122.7
ASOS 135.775 / 360-538-7021

Navigation

Elevation: 18'
Latitude: N 46° 58.27'
Longitude: W 123° 56.19'
PCL: CTAF
Runway: 06/24; 5000'x150'; Asphalt
Lights: Dusk-dawn, High
Indicator: Wind-L; Seg circle
Obstacles:
From City: 02 W
TPA:


Services

Fuel: A1+ 100LL 80
Services: Major Airframe and
Power Plant
Manager: 360-533-9528

Notes

Right hand traffic on runway 06. Watch for waterfowl on and in vicinity. Ultralights prohibited without written permission.

Ilwaco / Port of Ilwaco / 7W1



Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM

Navigation

Elevation: 8'
 Latitude: N 46° 18.99'
 Longitude: W 124° 00.08'
 PCL: CTAF
 Runway: 10/28; 2070'x50'; Asphalt
 Lights: Dusk-dawn, NSTD
 Indicator: Wind
 Obstacles: Trees, road
 From City: 02 E
 TPA:


Services

Fuel: None
 Services: None
 Manager: 360-642-3143

Notes None.

Page
47

Ione / Ione Municipal / S23



Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM) 379 at fld (VFR only)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS 115.5 GEG 346°
 69.4 NM to field
 FSS
 UNICOM

Navigation

Elevation: 2107'
 Latitude: N 48° 42.44'
 Longitude: W 117° 24.76'
 PCL: CTAF
 Runway: 15/33; 4037'x45'; Asphalt
 H1; 60'x60'; Concrete
 Lights: Dusk-dawn, Med
 Indicator: Wind
 Obstacles:
 From City: 02 S
 TPA:


Services

Fuel: None
 Services: None
 Manager: 509-442-3611

Notes Call ahead in winter for conditions.

Page
48

Kahlotus / Lower Monumental State / W09



Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM

Notes: Use at own risk. Caution: density altitude. Overflight recommended.
 Check NOTAMS or call WSDOT Aviation for latest information.

Navigation

Elevation: 813'
 Latitude: N 46° 33.03'
 Longitude: W 118° 32.18'
 PCL:
 Runway: 01/19; 3300'x50'; Gravel
 Lights:
 Indicator: Wind
 Obstacles: Powerline, high terrain
 From City: 05 S
 TPA: 1613'

Services

Fuel: None
 Services: None
 Manager: WSDOT Aviation
 1-800-552-0666
 (Washington State only)
 360-651-6300

Notes

Watch for pedestrians, vehicles, and animals on runway.
 Runway soft when wet, extremely rough. Closed in winter.

Kelso / Kelso-Longview / KLS



Communications

ATIS
 Tower
 CTAF 122.8
 Ground
 NDB (LOM) 256 (2.3 miles to field)
 APP/DEP 124.2 (Seattle)
 ILS/DME
 VOT
 CL DEL
 NAVAIDS 116.6 BTG 309°
 25.7 NM to field
 FSS 122.55
 UNICOM 122.8
 AWOS-3 135.075 / 360-577-1964

Navigation

Elevation: 20'
 Latitude: N 46° 07.08'
 Longitude: W 122° 53.90'
 PCL: CTAF
 Runway: 12/30; 4391'x100'; Asphalt
 Lights: NSTD
 Indicator: Wind-L; Seg circle
 Obstacles: Tree, hill
 From City: 02 SE
 TPA:

Services

Fuel: A 100LL
 Services: Major Airframe and
 Power Plant
 Manager: 360-425-3688

Notes Right hand traffic on runway 12.
 AWOS 135.075.

Page
 50

16/34; 10000'x1000'; Water

18/36; 3000'x1000'; Water

Lake Washington

Communications

ATIS	
Tower	
CTAF	122.7
Ground	
NDB (LOM)	
APP/DEP	
ILS/DME	
VOT	
CL DEL	
NAVAIDS	
FSS	
UNICOM	122.7

Navigation

Elevation: 14'
Latitude:..... N 47° 45.29'
Longitude:..... W 122° 15.56'
PCL:
Runway:..... 16/34; 10000'x1000'; Water
 18/36; 3000'x1000'; Water


Lights:.....
Indicator:.....
Obstacles:
From City: 01 S
TPA: 814'

Services

Fuel:A 100
Services:Major Airframe and
Power Plant
Manager:.....425-482-2242

Notes	None.
-------	-------

Kennewick / Vista Field / S98



Communications

ATIS 125.65 (Pasco)
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP 128.75 NNW; 133.5 SSE
 ILS/DME
 VOT
 CL DEL
 NAVAIDS 108.4 PSC 216°
 4.8 NM to field
 FSS 122.4
 UNICOM

Navigation

Elevation: 534'
 Latitude: N 46° 13.12'
 Longitude: W 119° 12.60'
 PCL: CTAF
 Runway: 02/20; 4008'x150'; Asphalt
 Lights: Dusk-dawn, Med
 Indicator: Wind-L
 Obstacles: Powerline, pole
 From City: 03 NW
 TPA:

Services

Fuel: A 100LL
 Services: Major Airframe and
 Power Plant
 Manager: 509-586-1186

Notes None.

Page
52

Kent / Crest Airpark / S36



Communications

ATIS
 Tower
 CTAF 123.0
 Ground
 NDB (LOM)
 APP/DEP see SeaTac Airport
 ILS/DME
 VOT
 CL DEL
 NAVAIDS 116.8 SEA 106°
 10.3 NM to field
 FSS
 UNICOM 123.0

Navigation

Elevation: 466´
 Latitude: N 47° 20.23´
 Longitude: W 122° 06.21´
 PCL:
 Runway: 15/33; 3288´x40´; Asphalt
 Lights: Dusk-dawn, NSTD Low
 Indicator: Wind
 Obstacles: Trees both sides of runway
 From City: 05 SE
 TPA: 1466´

Services

Fuel: 100 LL
 Services: Major Airframe and
 Power Plant
 Manager: 360-631-7100

Notes 24 hour credit card fuel available.
 Night operations use runway 15, wind permitting.

Page
 53

Langley / Whidbey Airpark / W10



Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM

Navigation

Elevation: 260'
 Latitude: N 48° 01.09'
 Longitude: W 122° 26.31'
 PCL:
 Runway: 16/34; 2400'x25'; Asphalt
 Lights: NSTD
 Indicator: Wind; Seg circle
 Obstacles: Trees
 From City: 02 SW
 TPA:

Services

Fuel: None
 Services: None
 Manager: 360-341-5531

Notes None.

Page
54

Laurier / Avey Field State / 69S



Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM

Notes: Use at own risk. Overflight
 recommended. Check NOTAMS or call
 WSDOT Aviation for latest information.
 Canadian and U.S. customs.

Navigation

Elevation: 1655'
 Latitude: N 48° 59.99'
 Longitude: W 118° 13.52'
 PCL:
 Runway: 17/35; 1975'x40'; Gravel
 Lights:
 Indicator: Wind
 Obstacles: Fence, trees
 From City: 02 SW
 TPA:

Services

Fuel: None
 Services: None
 Manager: WSDOT Aviation
 1-800-552-0666
 (Washington State only)
 360-651-6300

Notes

Watch for pedestrians, vehicles, and animals on runway.
 Closed in winter.

Leavenworth / **Lake Wenatchee State** / 27W



Communications

ATIS
Tower
CTAF 122.9
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL.....
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 1936´
Latitude:..... N 47° 49.16´
Longitude:..... W 120° 43.19´
PCL:
Runway:..... 09/27; 2474´x100´; Turf
Lights:.....
Indicator:..... Wind
Obstacles: Trees
From City: 14 NW
TPA:

Services

Fuel: None
Services: None
Manager: WSDOT Aviation
 1-800-552-0666
 (Washington State only)
 360-651-6300

Notes: Use at own risk. Overflight recommended. Check NOTAMS or call WSDOT Aviation for latest information.

Notes Watch for pedestrians, vehicles, and animals on runway.
 Runway soft when wet. Closed in winter.

Lind / Lind Municipal / OSO



Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM.....

Navigation


Elevation: 1491´
 Latitude:..... N 46° 58.66´
 Longitude:..... W 118° 35.15´
 PCL:
 Runway:..... 05/23; 3200´x50´; Asphalt
 Lights:..... Dusk-dawn, Med
 Indicator:..... Wind-L
 Obstacles:
 From City: 02 NE
 TPA:

Services

Fuel: None
 Services: None
 Manager:..... 509-677-3241

Notes Intersection of taxiway and entrance road breaking up.

Lopez / Lopez Island / S31



Communications

ATIS
Tower
CTAF 128.25
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 356 NDB at field (VFR only)
FSS
UNICOM.....

Navigation

Elevation: 209’
Latitude: N 48° 29.04’
Longitude:..... W 122° 56.26’
PCL:
Runway: 16/34; 2904’x60’; Asphalt
Lights: Dusk-dawn, Low
Indicator: Wind-L; Seg circle
Obstacles: Trees
From City: 03 S
TPA:

Services

Fuel: None
Services: None
Manager: 360-468-2920

Notes Right hand traffic on runway 16.
 Runway marked with reflectors.

Lynden / **Lynden Municipal** / 38W



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 105´
Latitude: N 48° 57.35´
Longitude: W 122° 27.49´
PCL: CTAF
Runway: 07/25; 2425´x40´; Asphalt
Lights: NSTD
Indicator: Wind; Seg circle
Obstacles: Fence, road
From City: 01 N
TPA:

Services

Fuel: 100LL
Services: Major Airframe
Manager: 360-354-5033

Notes Night landings should be performed on runway 07, wind permitting.

Mansfield / **Mansfield** / 8W3



Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM

Navigation

Elevation: 2276'
 Latitude: N 47° 48.58'
 Longitude: W 119° 38.24'
 PCL:
 Runway: 03/21; 2570'x46'; Asphalt
 Lights: Dusk-dawn, NSTD, Med
 Indicator: Wind
 Obstacles: Pole
 From City: 00 E
 TPA:

Services

Fuel: None
 Services: None
 Manager: 509-884-4700

Notes None.

Page
60

Mattawa / Desert Aire / M94



Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS 115.0 MWH 200°
 40 NM to field
 FSS
 UNICOM

Navigation

Elevation: 570'
 Latitude: N 46° 41.24'
 Longitude: W 119° 55.18
 PCL: 122.8
 Runway: 10/28; 3665'x36'; Asphalt
 Lights: Med
 Indicator: Wind
 Obstacles:
 From City: 03 SW
 TPA:

Services

Fuel: None
 Services: None
 Manager: 509-932-5403

Notes Right hand traffic on runway 28.

Page
61

Mazama / Lost River Resort / W12



Communications

ATIS
Tower
CTAF 122.9
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT.....
CL DEL.....
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 2415'
Latitude: N 48° 38.98'
Longitude: W 120° 30.12'
PCL:
Runway: 11/29; 3150'x85';
Turf-Gravel
Lights:.....
Indicator:..... Wind
Obstacles: Road
From City: 05 NW
TPA:

Services

Fuel: None
Services: None

Notes Right hand traffic on runway 11. Watch for vehicles on runway.
Airport closed November 1 thru April 1.

Page
62

Mead / Mead Flying Service / 70S



Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP See Spokane Int'l.
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM

Navigation

Elevation: 1900'
 Latitude: N 47° 47.49'
 Longitude: W 117° 21.06'
 PCL:
 Runway: 16/34; 2480'x30'; Asphalt
 Lights:
 Indicator: Wind; Seg circle
 Obstacles: Trees
 From City: 01 N
 TPA: 2500'

Services

Fuel: None
 Services: None
 Manager: 509-466-3007

Notes No winter maintenance. Soft ground in spring.
 Skydiving operations.

Page
 63

Metaline Falls / Sullivan Lake State / 09S



Sullivan Lake

Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM

Navigation

Elevation: 2614'
 Latitude: N 48° 50.27'
 Longitude: W 117° 17.02'
 PCL:
 Runway: 16/34; 1765'x150'; Turf
 Lights:
 Indicator: Wind
 Obstacles: Trees
 From City: 03 SE
 TPA: 3414'

Services

Fuel: None
 Services: None
 Manager: WSDOT Aviation
 1-800-552-0666
 (Washington State only)
 360-651-6300

Notes: Use at own risk. Overflight recommended. Check NOTAMS or call WSDOT Aviation for latest information.

Notes Watch for pedestrians, vehicles, and animals on runway.
 Runway soft when wet, extremely rough. Closed in winter.

Page
 64

Monroe / **Firstair Field** / W16



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 50’
Latitude: N 47° 52.29’
Longitude: W 121° 59.72’
PCL:
Runway: 07/25; 2095’x34’; Asphalt
Lights:
Indicator: Wind
Obstacles: Trees
From City: 02 NW
TPA:

Services

Fuel: 100
Services: Major Airframe and
Power Plant
Manager: 360-794-8251

Notes Right hand traffic on runway 07. Night operations discouraged.
Caution: Parachute operations in area.

Morton / **Strom Field** / 39P



Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM

Navigation

Elevation: 950'
 Latitude: N 46° 33.02'
 Longitude: W 122° 15.99'
 PCL: CTAF
 Runway: 07/25; 1800'x35'; Asphalt
 Lights: Dusk-dawn, NSTD, Med
 Indicator: Wind
 Obstacles: Powerlines and trees to W
 From City: 00 SE
 TPA:


Services

Fuel: None
 Services: None
 Manager: 360-496-6881

Notes None.

Page
66

Moses Lake / Grant County / MWH



Communications

ATIS 119.05
 Tower 118.25 (East) 128.0 (West)
 CTAF 118.25
 Ground 121.9
 NDB (LOM) 408 (PELLEY)
 APP/DEP 126.4 134.35
 ILS/DME 109.5
 VOT
 CL DEL
 NAVAIDS 115.0 MWH at field
 FSS 122.4
 UNICOM 122.95
 ASOS 509-762-5082

Services


Fuel: A 100 100LL JET A1
 Services: Major Airframe and
 Power Plant
 Manager: 509-762-5363

Navigation

Elevation: 1185'
 Latitude: N 47° 12.46'
 Longitude: W 119° 19.21'
 PCL:
 Runway: 04/22; 10000'x100;
 Asphalt-Concrete
 14L/32R; 13503'x200';
 Asphalt-Concrete
 14R/32L; 2937'x75';
 Concrete
 18/36; 3307'x75'; Asphalt
 09/27; 4500'x90'; Concrete
 Lights: Dusk-dawn, NSTD
 Indicator: Wind-L; Seg circle
 Obstacles:
 From City: 05 NW
 TPA:

Notes Right hand traffic on runways 18 and 32R.

Moses Lake / **Moses Lake Municipal** / W20



Communications

ATIS 119.05 (Grant County)
 Tower
 CTAF 123.0
 Ground
 NDB (LOM)
 APP/DEP 126.4;
 134.35 (Grant County)
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM 123.0

Navigation

Elevation: 1205'
 Latitude: N 47° 08.52'
 Longitude: W 119° 14.27'
 PCL:
 Runway: 16/34; 2513'x50; Asphalt
 Lights: Dusk-dawn, Med
 Indicator: Wind-L; Seg circle
 Obstacles: Trees
 From City: 02 NE
 TPA:

Services

Fuel: None
 Services: Major Airframe and
 Power Plant
 Manager: 509-760-4470

Notes Right hand traffic on runway 34.
 Caution: Large aircraft operating in area.

Page
68

Oak Harbor / **Wes Lupien** / 76S



Communications

ATIS 134.15 (Whidbey NAS)
Tower
CTAF 122.8
Ground.....
NDB (LOM)
APP/DEP 118.2 (Whidbey)
ILS/DME
VOT.....
CL DEL.....
NAVAIDS 117.2 CVV 060° 2.1 NM
FSS
UNICOM..... 122.8

Navigation

Elevation: 189’
Latitude: N 48° 15.09’
Longitude:..... W 122° 40.41’
PCL:
Runway:..... 07/25; 3255’x25’; Asphalt
Lights:..... NSTD
Indicator:..... Wind
Obstacles: Trees
From City: 03 SW
TPA:

Services

Fuel: 100LL
Services: Minor Airframe and
Power Plant
Manager:..... 360-929-6802

Notes

Right hand traffic on runway 07.
Ultralights and gliders prohibited.

Ocean Shores / **Ocean Shores Municipal** / W04



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS 122.4
UNICOM

Navigation


Elevation: 13´
Latitude: N 47° 00.22´
Longitude: W 124° 08.63´
PCL: 122.8
Runway: 15/33; 2700´x50´; Asphalt
Lights: Dusk-dawn, NSTD
Indicator: Wind-L; Seg circle
Obstacles: Trees
From City: 02 NE
TPA: 813´

Services

Fuel: None
Services: None
Manager: 360-289-3331

Notes Right hand traffic on runway 33.
Watch for seabirds.

Odessa / **Odessa Municipal** / 43D



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 112.6 EPH 071°
 30.6 NM to field
FSS
UNICOM

Navigation

Elevation: 1725'
Latitude: N 47° 21.49'
Longitude: W 118° 40.40'
PCL: 122.8
Runway: 02/20; 3125'x60'; Asphalt
Lights: Med
Indicator: Wind
Obstacles: Trees
From City: 01 N
TPA: 2525'

Services

Fuel: 80
Services: None
Manager: 509-982-2320

Okanogan / **Okanogan Legion** / S35



Communications

ATIS
Tower
CTAF 122.8
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 115.5 GEG 281°
 91.7 NM to field
FSS
UNICOM 122.8

Navigation

Elevation: 1043´
Latitude: N 48° 21.74´
Longitude: W 119° 34.07´
PCL:
Runway: 04/22; 2500´x36´; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind-L; Seg circle
Obstacles: Hill
From City: 01 E
TPA:

Services

Fuel: None
Services: None
Manager: 509-422-0717

Notes Right hand traffic on runway 22.

Olympia / **Hoskins Field** / 44T



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 213´
Latitude:..... N 46° 59.56´
Longitude:..... W 122° 49.66´
PCL:
Runway:..... 07/25; 2015´x116´; Turf
Lights:.....
Indicator:..... Wind
Obstacles: Trees
From City: 05 SE
TPA: 1013´

Services

Fuel: None
Services: None
Manager:..... 360-491-6723

Communications

ATIS	
Tower	124.4
CTAF	124.4
Ground	121.6
NDB (LOM)	
APP/DEP	121.1 (Seattle)
ILS/DME	111.9
VOT	
CL DEL	
NAVAIDS	113.4 OLM at field
FSS	
UNICOM	122.95
ASOS	135.725 / 360-754-0781

Navigation


Elevation:206'
Latitude:..... N 46° 58.23'
Longitude:..... W 122° 54.13'
PCL:CTAF
Runway:.....08/26; 4157'x150'; Asphalt
 17/35; 5419'x150'; Asphalt
Lights:.....Dusk-dawn, Med
Indicator:.....Wind-L; Seg circle
Obstacles:Trees
From City:04 S
TPA:1006'

Services

Fuel:A 100 100LL 80 Jet A
Services:Major Airframe and
Power Plant
Manager:.....360-528-8079

Notes	Right hand traffic on runways 08 and 35. Coyotes on runway.
-------	--

Omak / **Omak Municipal** / OMK



Communications

ATIS
 Tower
 CTAF 122.8
 Ground
 NDB (LOM) 219 at field
 APP/DEP 126.1 (Seattle)
 ILS/DME
 VOT
 CL DEL
 NAVAIDS 115.5 GEG 285°
 93.4 NM to field
 FSS 122.2
 UNICOM 122.8
 ASOS 118.325 / 509-826-2655

Navigation

Elevation: 1305'
 Latitude: N 48° 27.87'
 Longitude: W 119° 31.08'
 PCL: CTAF
 Runway: 17/35; 4654'x150'; Asphalt
 Lights: Dusk-dawn, Med
 Indicator: Wind-L; Seg circle
 Obstacles:
 From City: 03 N
 TPA:

Services

Fuel: A 100LL Jet A
 Services: Major Airframe and
 Power Plant
 Manager: 509-826-1170

Notes For fuel after hours 509-421-5187.

Page
75

Oroville / **Dorothy Scott** / OS7



Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM

Navigation

Elevation: 1064'
 Latitude: N 48° 57.54'
 Longitude: W 119° 24.72'
 PCL: CTAF
 Runway: 15/33; 4014'x50'; Asphalt
 Lights: Dusk-dawn, NSTD, Med
 Indicator: Wind-L; Seg circle
 Obstacles: Road
 From City: 02 NE
 TPA:

Services

Fuel: 100LL 80
 Services: Major Airframe and
 Power Plant
 Manager: 509-476-2106

Notes Right hand traffic on runway 15.
 Customs phone 509-476-3514.

Page
 76

Othello / Othello Municipal / S70



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 108.4 PSC 342°
32.0 NM to field
FSS
UNICOM

Navigation

Elevation: 1145'
Latitude: N 46° 47.69'
Longitude: W 119° 04.82'
PCL:
Runway: 07/25; 4200'x45'; Asphalt
Lights: Dusk-dawn, Med
Indicator Wind
Obstacles: Trees
From City: 04 SE
TPA:


Services

Fuel: A 100 Jet A
Services: None
Manager: 509-488-2544

Notes For fuel after hours, call 509-388-5590 or 509-388-5284.

Page
77

Packwood / **Packwood** / 55S



Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM

Navigation

Elevation: 1053'
 Latitude: N 46° 36.24'
 Longitude: W 121° 40.67'
 PCL: 122.9
 Runway: 01/19; 2262'x38'; Asphalt
 Lights: Dusk-dawn, Med
 Indicator: Wind
 Obstacles: Trees, fence
 From City: 00 W
 TPA:


Services

Fuel: None
 Services: None
 Manager: 360-740-1146

Notes None.

Page
 78

Pasco / Tri-Cities / PSC



Communications

ATIS 125.65
 Tower 135.3
 CTAF 135.3
 Ground 121.8
 NDB (LOM) 331 (DUNEZ 205° 6.3 NM)
 APP/DEP 128.75 N and W;
 133.15 S and E
 ILS/DME 108.7
 VOT
 CL DEL 120.0
 NAVAIDS 108.4 at field
 FSS 122.4
 UNICOM 122.95

Navigation

Elevation: 407'
 Latitude: N 46° 15.88'
 Longitude: W 119° 07.14'
 PCL: CTAF
 Runway: 03L/21R; 7700'x150';
 Asphalt
 03R/21L; 4425'x75'; Asphalt
 12/30; 7700'x150'; Asphalt
 Lights: Dusk-dawn
 Indicator: Wind-L; Seg circle
 Obstacles:
 From City: 02 NW
 TPA: 1407'


Services

Fuel: A1+ 100LL
 Services: Major Airframe and
 Power Plant
 Manager: 509-547-6352

Notes Right hand traffic on runways 03R and 21R.

Page
79

Port Angeles / Wm. R. Fairchild International / CLM



Communications

ATIS 134.15
Tower
CTAF 123.0
Ground
NDB (LOM) 515 (ELWHA 7.1 NM)
APP/DEP 118.2
ILS/DME 108.9
VOT
CL DEL 124.15
NAVAIDS 112.2 TOU 081°
46.5 NM to airport
FSS 122.6
UNICOM 123.0
ASOS 135.175 / 360-457-1070

Navigation

Elevation: 291'
Latitude: N 48° 07.21'
Longitude: W 123° 29.98'
PCL: CTAF
Runway: 08/26; 6347'x150'; Asphalt
13/31; 3245'x50'; Asphalt
Lights: Dusk-dawn
Indicator: Wind-L; Seg circle
Obstacles: Trees
From City: 03 NW
TPA:

Services

Fuel: A 100LL
Services: Major Airframe and
Power Plant
Manager: 360-457-1138

Notes

Right hand traffic on runways 26 and 31.

Port Townsend / Jefferson County / OS9



Communications

ATIS
 Tower
 CTAF 123.0
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS 110.6 PAE 271°
 22.9 NM to field
 FSS
 UNICOM 123.0

Navigation

Elevation: 107'
 Latitude: N 48° 03.23'
 Longitude: W 122° 48.64'
 PCL: CTAF
 Runway: 09/27; 3001'x75'; Asphalt
 Lights: Dusk-dawn, Med
 Indicator: Wind; Seg circle
 Obstacles: Hill, tree
 From City: 04 SW
 TPA:

Services

Fuel: 100LL 80
 Services: Major Airframe and
 Power Plant
 Manager: 360-385-0656

Notes

Right hand traffic on runway 09.
 Radio control, model aircraft may be operating.

Poulsbo / **Port of Poulsbo Marina Moorage (SPB)** / 83Q



Communications

ATIS
Tower
CTAF 122.9
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT.....
CL DEL.....
NAVAIDS.....
FSS
UNICOM.....

Navigation


Elevation: 0
Latitude:..... N 47° 44.04’
Longitude:..... W 122° 38.84’
PCL:
Runway:..... 13/31; 12000’x4000’; Water
Lights:.....
Indicator:.....
Obstacles:
From City: 00 N
TPA: 800’

Services

Fuel: None
Services: None
Manager:..... 360-779-9905

Notes None.

Prosser / **Prosser** / S40



Communications

ATIS
 Tower
 CTAF 122.8
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS 108.4 PSC 244°
 28.3 NM to field
 FSS
 UNICOM 122.8

Navigation

Elevation: 694'
 Latitude: N 46° 12.80'
 Longitude: W 119° 47.48'
 PCL:
 Runway: 07/25; 3440'x60'; Asphalt
 Lights: Dusk-dawn, Med
 Indicator: Wind-L; Seg circle
 Obstacles: Trees
 From City: 01 NW
 TPA:

Services

Fuel: MOGAS 100LL
 Services: Major Airframe and
 Power Plant
 Manager: 509-375-3060

Notes Right hand traffic on runway 25.

Pullman-Moscow (Idaho) / Pullman-Moscow Regional / PUW



Communications

ATIS
Tower
CTAF 122.8
Ground.....
NDB (LOM)
APP/DEP 123.95
ILS/DME
VOT
CL DEL.....
NAVAIDS 109.0 PUW 028°
6.3 NM to field
FSS 122.6
UNICOM..... 122.8
ASOS 135.675 /509-334-3222


Navigation

Elevation: 2555’
Latitude: N 46° 44.63’
Longitude:..... W 117° 06.58’
PCL: ACTVT HIRL CTAF
Runway:..... 05/23; 6730’x100’; Asphalt
Lights:..... Dusk-dawn, Med
Indicator:..... Wind-L; Seg circle
Obstacles: Fence
From City: 03 NE
TPA:

Services

Fuel: A 80 100 100LL
Services: Major Airframe and
Power Plant
Manager:..... 509-334-4555

Puyallup / **Pierce County-Thun Field** / 1S0



Communications

ATIS
Tower
CTAF 122.7
Ground
NDB (LOM)
APP/DEP 126.5
ILS/DME
VOT
CL DEL 121.85
NAVAIDS 109.6 TCM 087°
8.1 NM to field
FSS
UNICOM 122.7

Navigation


Elevation: 538’
Latitude: N 47° 06.24’
Longitude: W 122° 17.23’
PCL: Lights on Low INTST:
ACTVT HI INTST CTAF
Runway: 16/34; 3650’x60’; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind; Seg circle
Obstacles: Trees
From City: 05 S
TPA:

Services

Fuel: 100 80
Services: Major Airframe and
Power Plant
Manager: 253-798-7109

Notes Watch for birds. Ultralights prohibited.
Helicopter operations on field.

Quillayute / **Quillayute** / UIL



Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS 112.2 TOU 151°
 21.9 NM to field
 FSS
 UNICOM
 ASOS 135.225 / 360-374-9731

Navigation

Elevation: 194´
 Latitude: N 47° 56.20´
 Longitude: W 124° 33.76´
 PCL:
 Runway: 04/22; 4980´x150´; Concrete
 Lights:
 Indicator: Wind
 Obstacles: Brush
 From City: 01 SW
 TPA:

Services

Fuel: None
 Services: None
 Manager: 360-374-5412 ext. 243

Quincy / Quincy Municipal / 80T



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 111.0 EAT 108°
18.9 NM to field
FSS
UNICOM.....

Navigation

Elevation: 1271'
Latitude:..... N 47° 12.70'
Longitude:..... W 119° 50.39'
PCL:
Runway:..... 09/27; 3660'x50'; Asphalt
Lights:..... Dusk-dawn, Med
Indicator:..... Wind
Obstacles: Road
From City: 02 SE
TPA:

Services

Fuel: None
Services: None
Manager:..... 509-750-4602

Notes None.

Renton / **Renton Municipal** / RNT

Lake Washington



Communications

ATIS 126.95
 Tower 124.7
 CTAF 124.7
 Ground 121.6
 NDB (LOM) 353 at field
 APP/DEP 076 – 160° Rwy 15 119.2
 341 – 075° 119.2
 199 – 300° 120.1
 301 – 340° Rwy 33 120.4
 076 – 160° Rwy 33 125.9
 301 – 340° Rwy 15 125.9
 161 – 198° 126.5
 ILS/DME
 VOT
 CL DEL
 NAVAIDS 116.8 SEA 026°
 5.2 NM to field
 FSS
 UNICOM 122.95
 ASOS 425-255-6080

Navigation

Elevation: 32'
 Latitude: N 47° 29.59'
 Longitude: W 122° 12.95'
 PCL: CTAF
 Runway: 15/33; 5382' x 200';
 Asphalt-Concrete
 Lights: Dusk-dawn, NSTD
 Indicator: Wind-L
 Obstacles: Trees
 From City: 00 NW
 TPA:

Services

Fuel: A1+ 100LL
 Services: Major Airframe and
 Power Plant
 Manager: 425-430-7318

Notes

Right hand traffic on runway 33.
 Seaplane base NW corner. Numerous flocks of birds.

Page
 88

Renton / **Will Rogers/Wiley Post Memorial** / W36



Communications

ATIS
Tower 124.7 (Renton Airport)
CTAF 124.7
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL.....
NAVAIDS
FSS
UNICOM..... 122.8

Navigation

Elevation: 14’
Latitude:..... N 47° 29.99’
Longitude:..... W 122° 13.16’
PCL:
Runway:..... 12/30; 5000’x200’; Water
Lights:.....
Indicator:.....
Obstacles:
From City: 01 N
TPA:

Services

Fuel: A1+ 100LL
Services: Major Airframe and
Power Plant
Manager:..... 425-430-7318

Notes

Right hand traffic on waterway 12. Flocks of waterfowl on lake.
Extensive boating and personal watercraft in vicinity.

Republic / Ferry County / R49



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 112.6 EPH 360°
86.2 NM to field
FSS
UNICOM.....

Navigation

Elevation: 2519'
Latitude: N 48° 43.09'
Longitude: W 118° 39.37'
PCL: CTAF
Runway: 17/35; 3498'x60'; Asphalt
Lights: Dusk-dawn, NSTD, Med
Indicator: Wind-L; Seg circle
Obstacles: Trees
From City: 06 NE
TPA:


Services

Fuel: None
Services: None
Manager: 509-775-2101

Notes Right hand traffic on runway 17.
Suggest use runway 35 for night operations.

Page
90

Richland / **Richland** / RLD



Communications

ATIS
 Tower
 CTAF 122.7
 Ground
 NDB (LOM) 260 (RIBOO 4.3 NM)
 APP/DEP 128.75 (Chinook)
 ILS/DME 110.5
 VOT
 CL DEL 122.4
 NAVAIDS 108.4 PSC 268°
 8.3 NM to field
 FSS
 UNICOM 122.7

Navigation

Elevation: 391'
 Latitude: N 46° 18.34'
 Longitude: W 119° 18.25
 PCL: CTAF
 Runway: 19/01; 4009'x75'; Asphalt
 07/25; 3995'x100'; Asphalt
 Lights: Dusk-dawn, Med
 Indicator: Wind-L; Seg circle
 Obstacles:
 From City: 02 NW
 TPA:

Services

Fuel: 80 100LL
 Services: Minor Airframe and
 Power Plant
 Manager: 509-375-3060

Notes Right hand traffic on runways 19 and 25.

Page
91

Rimrock / Tieton State / 4S6



Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM

Navigation

Elevation: 2961´
 Latitude: 46° 38.27´
 Longitude: 121° 07.42´
 PCL:
 Runway: 02/20; 2509´x140´; Turf
 Lights:
 Indicator: Wind; Seg circle
 Obstacles: Trees
 From City: 02 S
 TPA:

Services


Fuel: None
 Services: None
 Manager: WSDOT Aviation
 1-800-552-0666
 (Washington State only)
 369-651-6300

Notes: Use at own risk. Overflight
 recommended. Check NOTAMS or call
 WSDOT Aviation for latest information.

Notes Watch for pedestrians, vehicles and animals on runway.
 Runway soft when wet, extremely rough. Closed in winter.

Page
 92

Ritzville / Pru Field / 33S



Communications

ATIS
 Tower
 CTAF 122.8
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS 115.5 GEG 209
 40.9 NM to field
 FSS
 UNICOM 122.8

Navigation

Elevation: 1801'
 Latitude: N 47° 07.39'
 Longitude: W 118° 23.37'
 PCL: CTAF
 Runway: 01/19; 4089'x40'; Asphalt
 Lights: Dusk-dawn, NSTD
 Indicator: Wind-L
 Obstacles: Powerlines, trees
 From City: 01 W
 TPA:

Services

Fuel: None
 Services: None
 Manager: 509-659-1930

Notes None.

Roche Harbor / **Roche Harbor SPB** / W39



Communications

ATIS
 Tower
 CTAF 128.25
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM

Navigation


Elevation: 0
 Latitude: 48° 36.49'
 Longitude: 123° 09.58'
 PCL:
 Runway: NE/SW; 5000'x1000'; Water
 NW/SE; 2500'x500'; Water
 Lights:
 Indicator:
 Obstacles:
 From City: 00 SW
 TPA:

Services

Fuel: None
 Services: None
 Manager: 360-317-6171

Notes Boats in landing and docking area.

Rochester / R & K Skyranch / 8W9



Communications

ATIS	
Tower	
CTAF	123.0
Ground	
NDB (LOM)	
APP/DEP	
ILS/DME	
VOT	
CL DEL	
NAVAIDS	
FSS	
UNICOM	123.0

Navigation

Elevation: 149'
Latitude: 46° 49.96'
Longitude: 123° 05.49'
PCL:
Runway: 16/34; 2480'x35'; Turf
 18/36; 2750'x45'; Turf
Lights: NSTD
Indicator: Wind
Obstacles: Trees, fence
From City: 01 N
TPA:

Services

Fuel: None
Services: Major Airframe and
Power Plant
Manager: 360-273-9893

Notes	Landing fee.
-------	--------------

Rogersberg / Rogersberg State / D69



Communications

ATIS
Tower
CTAF 122.9
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Notes: Use at own risk. Overflight recommended. Check NOTAMS or call WSDOT Aviation for latest information.

Navigation

Elevation: 850'
Latitude: 46-04-28N
Longitude: 116-57-58W
Runway: 09/27; 1500'x35'; Dirt
From City: 01 S


Services

Fuel: None
Services: None
Manager: WSDOT Aviation
1-800-552-0666
(Washington State only)
360-651-6300

Notes Watch for pedestrians, vehicles, and animals on runway. Runway soft when wet, extremely rough. Closed November 1 thru March 1.

Page
96

Rosalia / Rosalia Municipal / 72S



Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM

Navigation


Elevation: 2170'
 Latitude: N 47° 14.21'
 Longitude: W 117° 25.26'
 PCL: 122.8
 Runway: 02/20; 2780'x45'; Asphalt
 Lights: Dusk-dawn, Med
 Indicator: Wind; Seg circle
 Obstacles: Hill, road
 From City: 02 W
 TPA:

Services

Fuel: 100
 Services: None
 Manager: 509-526-1269

Notes None.

Page
97

Rosario / **Rosario SPB** / W49

Communications

ATIS	
Tower	
CTAF	128.25
Ground	
NDB (LOM)	
APP/DEP	
ILS/DME	
VOT	
CL DEL	
NAVAIDS	
FSS	
UNICOM	

Navigation


Elevation:0
Latitude:.....48° 38.74'
Longitude:.....122° 52.08'
PCL:
Runway:.....07/25; 2500'x1000'; Water
16/34; 10000'x1000'; Water
Lights:.....
Indicator:.....
Obstacles:Hill
From City:00 S
TPA:800'

Services

Fuel: None
Services: None
Manager:..... 360-376-2222

Notes	None.
-------	-------

Seattle / **Boeing Field/King County International** / BFI



Communications

ATIS 127.75
Tower 120.6 (128-308°)
..... 118.3 (309-127°)
CTAF 118.3
Ground 121.9
NDB (LOM) 362 NOLLA
APP/DEP 076° – 160° Rwy 13 119.2
..... 341° – 075° 119.2
..... 199° – 300° 120.1
..... 301° – 340° Rwy 31 120.4
..... 076° – 160° Rwy 31 125.9
..... 301° – 340° Rwy 13 125.9
..... 161° – 198° 126.5
ILS/DME 110.9
VOT 108.6
CL DEL 132.4
NAVAIDS 116.8 SEA 344°
..... 5.7 NM to field
FSS 122.5
UNICOM 122.95
ASOS 206-763-6904

Navigation


Elevation: 18’
Latitude: N 47° 31.80’
Longitude: W 122° 18.12’
PCL:
Runway: 13L/31R; 3710’x100’;
Asphalt
13R/31L; 10001’x200’;
Asphalt
Lights: Dusk-dawn, Med, High
Indicator: Wind
Obstacles:
From City: 04 S
TPA: 13L/31R; 1018’
13R/31L; 818’

Services

Fuel: 100LL 80 A Set A
Services: Major Airframe and
Power Plant
Manager: 206-296-7380

Notes Right hand traffic on runways 13R and 31R.

Seattle / **Seattle-Tacoma International** / SEA



Communications

ATIS 118.0
 Tower 119.9
 CTAF 119.9
 Ground 121.7
 NDB (LOM) (224 REDONDO)
 APP/DEP 076° – 160° Rwy 16 119.2
 341° – 075° 119.2
 199° – 300° 120.1
 301° – 340° Rwy 34 120.4
 076° – 160° Rwy 34 125.9
 301° – 340° Rwy 16 125.9
 161° – 198° 126.5
 ILS/DME 110.3 Rwy 34R/16L
 111.7 Rwy 16R/34L
 VOT 117.5
 CL DEL 128.0 (also pre-taxi CLNC)
 NAV AIDS 116.8 at airport
 FSS
 UNICOM 122.95
 ASOS 206-431-2834

Navigation

Elevation: 433´
 Latitude: N 47° 26.94´
 Longitude: W 122° 18.56´
 PCL:
 Runway: 16L/34R; 11901´x150´;
 Asphalt
 16R/34L; 9426´x150´;
 Concrete
 Lights: Dusk-dawn, High
 Indicator: Wind-L
 Obstacles: None
 From City: 10 S
 TPA:

Services

Fuel: Jet A A1 100LL
 Services: None
 Manager: 206-433-4664

Sekiu / **Sekiu** / 11S



Communications

ATIS
 Tower
 CTAF 122.9
 Ground.....
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM.....

Navigation

Elevation: 355´
 Latitude: N 48° 15.97´
 Longitude: W 124° 18.84´
 PCL:
 Runway: 08/26; 2997´x50´; Asphalt
 Lights: Dusk-dawn, Low
 Indicator: Wind-L
 Obstacles: Hill, trees
 From City: 00 NW
 TPA:

Services

Fuel: None
 Services: None
 Manager: 360-457-1138

Notes None.

Sequim / **Sequim Valley** / W28



Communications

ATIS
Tower
CTAF 122.7
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT.....
CL DEL.....
NAVAIDS 112.2 TOU 079°
 59.1 NM to field
FSS
UNICOM..... 122.700

Navigation


Elevation: 144´
Latitude: N 48° 05.89´
Longitude:..... W 123° 11.23´
PCL:
Runway:..... 09L/27R; 3500´x100´; Turf
 09R/27L; 3510´x40´;
Asphalt
Lights:..... Dusk-dawn, Low
Indicator:..... Wind; Seg circle
Obstacles: Trees
From City: 04 NW

Services

Fuel: 100LL
Services: Major Airframe and
 Power Plant
Manager:..... 360-683-8283

Notes Right hand traffic on runways 09R and 09L.
 Deer on and in vicinity of airport.

Shelton / Sanderson Field / SHN



Communications

ATIS
 Tower
 CTAF 122.8
 NDB (LOM) 348 MNC 232°
 2.7 NM to field
 APP/DEP 120.1
 ILS/DME
 VOT
 CL DEL
 NAVAIDS 113.4 OLM 308°
 18.7 NM to field
 FSS
 UNICOM 122.8
 ASOS 119.275 / 360-427-3835

Navigation

Elevation: 273'
 Latitude: N 47° 14.01'
 Longitude: W 123° 08.85'
 PCL:
 Runway: 05/23; 5005'x100'; Asphalt
 Lights: Dusk-dawn, Med
 Indicator: Wind-L; Seg circle
 Obstacles: Trees
 From City: 03 NW
 TPA:

Services

Fuel: A 100LL 80
 Services: Minor Airframe and
 Power Plant
 Manager: 360-426-1151

Notes Caution: Parachute operations.

Page
103

Skykomish / **Skykomish State** / S88



Communications

ATIS
Tower
CTAF 122.9
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 998´
Latitude: N 47° 42.40´
Longitude: W 121° 20.19´
PCL:
Runway: 06/24; 2048´x100´; Turf
Lights:
Indicator: Wind
Obstacles: Trees
From City: 01 E
TPA:

Services

Fuel: None
Services: None
Manager: WSDOT Aviation
1-800-552-0666
(Washington State only)
360-651-6300

Notes: Use at own risk. Overflight recommended. Check NOTAMS or call WSDOT Aviation for latest information.

Notes Watch for pedestrians, vehicles, and animals on runway.
Runway soft when wet, extremely rough. Closed in winter.

Snohomish / **Harvey Field** / S43



Communications

ATIS
Tower
CTAF 123.0
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT.....
CL DEL.....
NAVAIDS
FSS
UNICOM..... 123.0

Navigation

Elevation: 16´
Latitude: N 47° 54.49´
Longitude:..... W 122° 06.32´
PCL:
Runway:..... 14/32; 2660´x36´; Asphalt
Lights:..... Dusk-dawn, NSTD
Indicator:..... Wind
Obstacles: Powerlines
From City: 01 SW
TPA:

Services

Fuel: A 100LL
Services: Major Airframe and
Power Plant
Manager:..... 360-568-1541

Notes Right hand traffic on runway 14.
Caution: Parachute operations.

South Bend (Raymond) / Willapa Harbor / 2S9



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 117.7 HQM 119°
20.2 NM to field
FSS
UNICOM.....

Navigation

Elevation: 16'
Latitude: N 46° 41.74'
Longitude: W 123° 49.33'
PCL: 122.8
Runway: 11/29; 3000'x52'; Asphalt
Lights: NSTD, Med
Indicator: Wind
Obstacles: Trees
From City: 02 NW
TPA:


Services

Fuel: 80
Services: None
Manager: 360-942-3422

Notes None.

Page
106

Spanaway / **Shady Acres** / 3B8



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM

Navigation

Elevation: 445'
Latitude: N 47° 04.22'
Longitude: W 122° 22.27'
Runway: 34/16; 1800'x20'; Asphalt
Lights:
Indicator: Wind
Obstacles: Trees
From City: 03 SE
TPA:


Services

Fuel: None
Services: None
Manager: 253-847-0377

Notes Right hand traffic on runway 34.

Page
107

Spanaway / **Spanaway** / 3B8



Communications

ATIS
 Tower
 CTAF 122.9
 Ground.....
 NDB (LOM)
 APP/DEP Sea-126.5
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM.....

Navigation

Elevation: 373´
 Latitude: N 47° 05.21´
 Longitude:..... W 122° 25.88´
 PCL:
 Runway:..... 16/34; 2724´x20´; Asphalt
 Lights:..... Dusk-dawn, NSTD, Low
 Indicator:..... Wind; Seg circle
 Obstacles: Trees
 From City: 01 S
 TPA:


Services

Fuel: 100LL 80
 Services: Major Airframe and
 Power Plant
 Manager:..... 253-847-0377

Notes Right hand traffic on runway 34.
 Tiedown fee.

Page
 108

Spokane / Felts Field / SFF



Communications

ATIS 120.55
 Tower 132.5
 CTAF 132.5
 Ground 121.7
 NDB (LOM) 365 at field
 APP/DEP 133.35
 ILS/DME
 VOT
 CL DEL
 NAVAIDS 115.5 GEG 039°
 14.2 NM to field
 FSS 122.65
 UNICOM 122.95
 ASOS 509-624-3290

Navigation

Elevation: 1953'
 Latitude: N 47° 40.97'
 Longitude: W 117° 19.35'
 PCL: CTAF
 Runway: 03L/21R; 4500'x150';
 Concrete
 03R/21L; 3059'x75'; Asphalt
 03W/21W; 6000'x100'; Water
 Lights: Dusk-dawn, Med
 Indicator: Wind-L; Seg circle
 Obstacles: Trees
 From City: 04 NE
 TPA:


Services

Fuel: A1+ 100 100LL
 Services: Major Airframe and
 Power Plant
 Manager: 509-455-6419

Notes Right hand traffic on runways 03R, 21R, and 21W. Seaplane
 operations advisory service only. Area not visible from tower.

Page
 109

Spokane / **Spokane International** / GEG



Communications

ATIS 124.325
 Tower 118.3
 CTAF 118.3
 Ground 121.9
 NDB (LOM) 388 (PHORT 4.8 NM)
 APP/DEP 133.35 (026 - 204°)
 123.75 (205 - 025°)
 ILS/DME 111.1 Rwy 21
 VOT 109.6
 CL DEL 127.55
 NAVAIDS 115.5 GEG 028°
 5 NM to field
 FSS 122.65
 UNICOM 122.95
 ASOS 509-624-3290

Navigation

Elevation: 2372'
 Latitude: N 47° 37.19'
 Longitude: W 117° 32.00'
 PCL:
 Runway: 03/21; 9000'x150'; Asphalt
 07/25; 8199'x150'; Asphalt
 Lights: Dusk-dawn, High, Med
 Indicator: Wind-L
 Obstacles:
 From City: 05 SW
 TPA:

Services

Fuel: A 100 100LL
 Services: Major Airframe and
 Power Plant
 Manager: 509-455-6419

Notes Right hand traffic on runways 03 and 07.

Page
110

Stanwood / **Camano Island Airfield** / 13W



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Navigation


Elevation: 145’
Latitude: N 48° 15.42’
Longitude:..... W 122° 26.21’
PCL:
Runway: 16/34; 1750’x24’; Asphalt
Lights:.....
Indicator:..... Wind
Obstacles: Trees
From City: 03 NW
TPA:

Services

Fuel: None
Services: Major Airframe and
Power Plant
Manager:..... 360-629-4812

Notes Right hand traffic on runways 16 and 34.

Starbuck / Little Goose Lock & Dam State / 16W



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Notes: Use at own risk. Overflight recommended. Check NOTAMS or call WSDOT Aviation for latest information. Caution: Density Altitude.

Navigation

Elevation: 681´
Latitude: N 46° 34.99´
Longitude: W 118° 00.06´
PCL:
Runway: 07/25; 3400´x50´; Gravel
Lights:
Indicator: Wind
Obstacles:
From City: 07 NE
TPA:

Services

Fuel: None
Services: None
Manager: WSDOT Aviation
1-800-552-0666
(Washington State only)
360-651-6300

Notes

Watch for pedestrians, vehicles, and animals on runway.
Runway soft when wet, extremely rough. Closed in winter.

Stehekin / **Stehekin State** / 6S9



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 1230´
Latitude: N 48° 20.74´
Longitude:..... W 120° 43.24´
PCL:
Runway:..... 13/31; 2630´x80´; Turf
Lights:.....
Indicator:..... Wind; Seg circle
Obstacles: Trees
From City: 03 NW
TPA:

Services

Fuel: None
Services: None
Manager:..... WSDOT Aviation
1-800-552-0666
(Washington State only)
360-651-6300

Notes: Use at own risk. Overflight recommended. Check NOTAMS or call WSDOT Aviation for latest information. Caution: Density altitude.

Sultan / **Sky Harbor** / S86



Communications

ATIS
 Tower
 CTAF 122.8
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM 122.8

Navigation

Elevation: 282'
 Latitude: N 47° 52.24'
 Longitude: W 121° 47.54'
 PCL:
 Runway: 07/25; 1930'x100'; Turf
 Lights:
 Indicator: Wind
 Obstacles: Trees
 From City: 01 E
 TPA: 1082'

Services

Fuel: None
 Services: None
 Manager: 360-793-3629

Notes Avoid during high wind. Preferred runway wind permitting.
 Land West, take off East.

Page
 114

Sunnyside / **Sunnyside Municipal** / 1S5



Communications

ATIS
 Tower
 CTAF 122.9
 Ground.....
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL.....
 NAVAIDS 108.4 PSC 256°
 35.8 NM to field
 FSS
 UNICOM.....

Navigation

Elevation: 764'
 Latitude: N 46° 19.66'
 Longitude: W 119° 58.24'
 PCL:
 Runway: 07/25; 3543'x60'; Asphalt
 Lights: Dusk-dawn, Low
 Indicator: Wind-L; Seg circle
 Obstacles: Trees
 From City: 02 E
 TPA:

Services

Fuel: 100
 Services: None
 Manager: 509-837-5206

Notes None.

Page
115

Tacoma / **American Lake SPB** / W37



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Navigation


Elevation: 235'
Latitude: N 47° 08.49'
Longitude: W 122° 33.66'
PCL:
Runway: 02/20; 5500'x500'; Water
Lights:
Indicator:
Obstacles:
From City: 07 S
TPA:

Services

Fuel: MOGAS 100LL
Services: Major Airframe and
Power Plant
Manager: 253-582-3777

Notes Swimmers and boaters in area. Use noise abatement procedures.
Underlies McChord AFB Class D airspace.

Tacoma / Tacoma Narrows / TIW



Communications

ATIS 124.05
 Tower 118.5
 CTAF 118.5
 Ground 121.8
 NDB (LOM)
 APP/DEP 120.1
 ILS/DME 109.1 RWY 17
 VOT
 CL DEL
 NAVAIDS 109.6 TCM 310°
 8.9 NM to field
 FSS
 UNICOM 122.95
 ASOS 253-858-6507

Navigation

Elevation: 292'
 Latitude: N 47° 16.08'
 Longitude: W 122° 34.69'
 PCL: MALSR & PAPI
 Rwy 17 CTAF
 Runway: 17/35; 5002'x150'; Asphalt
 Lights: Dusk-dawn, Med
 Indicator: Wind-L; Seg circle
 Obstacles: Trees
 From City: 04 W
 TPA: 1300'

Services

Fuel: A 100LL
 Services: Major Airframe and
 Power Plant
 Manager: 253-853-5844

Notes Right hand traffic on runway 17.
 Deer in vicinity of airport. Noise sensitive airport.

Page
 117

Tekoa / Willard Field / 73S



Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM

Navigation

Elevation: 2513'
 Latitude: N 47° 14.14'
 Longitude: W 117° 02.59'
 PCL: 122.8
 Runway: 04/22; 2261'x40'; Asphalt
 Lights: Dusk-dawn, NSTD, Med
 Indicator: Wind
 Obstacles:
 From City: 02 NE
 TPA:


Services

Fuel: None
 Services: None
 Manager: 509-245-3293

Notes Caution: Parachute jumping. Powerline at east end.

Page
118

The Dalles, Oregon / **The Dalles Municipal** / DLS



Communications

ATIS
 Tower
 CTAF 123.0
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS 112.3 LTJ 185°
 6.4 NM to field
 FSS 122.65
 UNICOM 123.0
 ASOS 135.175 / 509-773-1726

Navigation

Elevation: 247'
 Latitude: N 45° 37.11'
 Longitude: W 121° 10.04'
 PCL: 123.0
 Runway: 12/30; 5097'x150': Asphalt
 07/25; 4647'x150': Asphalt
 02/20; 4401'x150': Asphalt
 Lights:
 Indicator: Wind
 Obstacles:
 From City: 02 NE
 TPA:


Services

Fuel: A 100LL
 Services: Major Airframe and
 Power Plant
 Manager: 541-296-5481

Notes Airport located in Washington on north side of Columbia River.

Page
119

Toledo / Toledo - Winlock - Ed Carlson Memorial / TDO



Communications

ATIS
 Tower
 CTAF 122.9
 Ground.....
 NDB (LOM) OTS Indef.
 APP/DEP
 ILS/DME
 VOT.....
 CL DEL.....
 NAVAIDS 113.4 OLM 153°
 29.9 NM to field
 FSS
 UNICOM.....

Navigation


Elevation: 375´
 Latitude: N 46° 28.63´
 Longitude:..... W 122° 48.41´
 PCL: CTAF
 Runway:..... 05/23; 4960´x150´; Asphalt
 Lights:..... Dusk-dawn, Med
 Indicator:..... Wind
 Obstacles: Fence
 From City: 03 N
 TPA:

Services

Fuel: 100 80
 Services: Major Airframe and
 Power Plant
 Manager:..... 360-740-1146

Notes Caution: Parachutes and gliders. Radio controlled aircraft.

Tonasket / **Tonasket Municipal** / W01



Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS 112.6 EPH 338°
 80.9 NM to field
 FSS
 UNICOM

Navigation

Elevation: 1340'
 Latitude: N 48° 43.46'
 Longitude: W 119° 27.92'
 PCL: CTAF
 Runway: 15/33; 3053'x50'; Asphalt
 Lights: Dusk-dawn, Med
 Indicator: Wind; Seg circle
 Obstacles: Hill
 From City: 02 NW
 TPA:


Services

Fuel: None
 Services: None
 Manager: 509-486-2132

Notes Right hand traffic on runway 15.
 Mountains surround airport.

Page
 121

Twisp / Twisp Municipal / 2S0



Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM

Navigation

Elevation: 1597'
 Latitude: N 48° 21.03'
 Longitude: W 120° 05.64'
 PCL: CTAF
 Runway: 10/28; 2701'x36'; Asphalt
 Lights: Med
 Indicator: Wind
 Obstacles: Trees
 From City: 01 SE
 TPA:

Services

Fuel: None
 Services: None
 Manager: 509-997-7777

Notes Mountainous terrain surrounds airport.
 Deer and pedestrians in vicinity.

Page
 122

Vancouver / **Evergreen Field** / 59S



Communications

ATIS
 Tower
 CTAF 122.7
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL 121.65 (Portland)
 NAVAIDS
 FSS 122.35
 UNICOM 122.7

Navigation

Elevation: 310'
 Latitude: N 45° 37.32'
 Longitude: W 122° 31.75'
 PCL:
 Runway: 10L/28R; 2155'x40';
 Asphalt-Gravel
 10R/28L; 2000'x100'; Turf
 Lights: Dusk-dawn, Low, NSTD
 Indicator: Wind-L
 Obstacles: Trees
 From City: 05 E
 TPA: 910'

Services

Fuel: 80
 Services: Major Airframe and
 Power Plant
 Manager: 360-892-2155

Notes

None.
 Enter and exit Traffic Pattern from NE only.

Vancouver / Fly For Fun / W56



Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM

Navigation

Elevation: 275'
 Latitude: N 45° 41.24'
 Longitude: W 122° 31.32'
 PCL:
 Runway: 07/25; 2434'x50; Turf
 Lights: NSTD
 Indicator: Wind
 Obstacles: Powerlines
 From City: 04 NE
 TPA: 1075'

Services

Fuel: None
 Services: None
 Manager: 360-253-4850

Notes Right hand traffic on runway 07.
 Airport is closed Christmas and Easter.

Page
 124

Vancouver / **Pearson Field** / VUO



Communications

ATIS
 Tower Portland 119.0
 Tower Off CTAF 123.0
 Ground.....
 NDB (LOM)
 APP/DEP 118.1 / 124.35
 ILS/DME
 VOT
 CL DEL..... 121.65
 NAVAIDS.....
 FSS 122.35
 UNICOM..... 123.0
 ASOS 135.125 / 360-696-1280
 CTAF 123.0

Navigation

Elevation: 25'
 Latitude:..... N 45° 37.23'
 Longitude:..... W 122° 39.39'
 PCL:
 Runway:..... 08/26; 3275'x60'; Asphalt
 Lights:..... Dusk-dawn, Med
 Indicator:..... Wind-L; Seg circle
 Obstacles:
 From City: 02 SW
 TPA: 1025'


Services

Fuel: 100 80
 Services: Major Airframe and
 Power Plant
 Manager:..... 360-696-8446

Notes

Right hand traffic on runway 26. Bridge towers 0.5 SW.
 Prior to arrival and departure, contact Portland tower 119.0.

Vashon / **Vashon Municipal** / 2S1



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Navigation


Elevation: 317’
Latitude: N 47° 27.49’
Longitude: W 122° 28.64’
PCL:
Runway: 17/35; 1940’x60’;
 Turf-Gravel
Lights: Dusk-dawn, NSTD
Indicator: Wind-L
Obstacles: Trees
From City: 01 NW
TPA: 1300’

Services

Fuel: None
Services: Minor
Manager: 206-432-1638

Notes Night operations only for pilots familiar with airport. Close in obstructions. Helipad for emergency use only. Right hand traffic Rwy 17.

Walla Walla / Walla Walla Regional / ALW



Communications

ATIS
 Tower 118.5
 CTAF 118.5
 Ground 121.6
 NDB (LOM) 353
 APP/DEP 133.15
 ILS/DME 111.7 Rwy 20
 VOT
 CL DEL
 NAVAIDS 116.4 ALW at field
 FSS 122.3
 UNICOM 122.95
 ASOS 135.875 / 509-525-3014

Services

Fuel: A 100LL 80
 Services: Major Airframe and
 Power Plant
 Manager: 509-525-3100

Navigation

Elevation: 1191'
 Latitude: N 46° 05.69'
 Longitude: W 118° 17.27'
 PCL: CTAF
 Runway: 02/20; 6526'x150'; Asphalt
 07/25; 4500'x150';
 Asphalt-Concrete
 16/34; 5949'x150';
 Asphalt-Concrete
 Lights: Dusk-dawn, High
 Indicator: Wind-L; Seg circle
 Obstacles:
 From City: 03 NE
 TPA:

Notes Caution: Parachute jumping in vicinity of airport.

Warden / **New Warden** / 2S4



Communications

ATIS
 Tower
 CTAF 122.9
 Ground
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS
 FSS
 UNICOM

Navigation

Elevation: 1265'
 Latitude: N 46° 57.92'
 Longitude: W 119° 03.99'
 PCL:
 Runway: 17/35; 3131'x40';
 Asphalt-Gravel
 Lights: Dusk-dawn, NSTD
 Indicator: Wind-L
 Obstacles:
 From City: 01 W
 TPA:


Services

Fuel: None
 Services: None
 Manager: 509-349-2033

Notes None.

Page
128

Waterville / **Waterville** / 2S5



Communications

ATIS
 Tower
 CTAF 122.9
 Ground.....
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL
 NAVAIDS 112.6 EPH 282°
 30.7 NM to field
 FSS
 UNICOM.....

Navigation

Elevation: 2640'
 Latitude: N 47° 39.36'
 Longitude: W 120° 03.39'
 PCL:
 Runway: 07/25; 2978'x50'; Asphalt
 Lights: Dusk-dawn, NSTD, Med
 Indicator: Wind
 Obstacles:
 From City: 01 NE
 TPA:

Services

Fuel: 100 LL
 Services: None
 Manager: 509-884-4700

Notes None.

Page
 129

ATIS	
Tower	
CTAF	123.0
Ground	
NDB (LOM)	
APP/DEP	
ILS/DME	
VOT	
CL DEL	
NAVAIDS	111.0 EAT at field
FSS	122.6
UNICOM	123.0
ASOS	119.925 / 509-886-4226

Elevation: 1249´
Latitude: N 47° 23.93´
Longitude: W 120° 12.41´
PCL: CTAf
Runway: 07/25; 4460´x150´; Asphalt
 12/30; 5500´x150´; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind-L; Seg circle
Obstacles:
From City: 04 E
TPA:

Fuel:A 100LL
Services:Major Airframe and
Power Plant
Manager:.....509-884-2494

Page
130

Westport / **Westport** / 14S



Communications

ATIS
Tower
CTAF 122.9
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS
FSS
UNICOM.....

Navigation


Elevation: 08’
Latitude: N 46° 53.84’
Longitude:..... W 124° 06.04
PCL: CTAF
Runway:..... 12/30; 2250’x50’; Asphalt
Lights:..... Dusk-dawn, Med
Indicator:..... Wind
Obstacles:
From City: 01 N
TPA:

Services

Fuel: None
Services: None
Manager:..... 360-268-0131

Notes Right hand traffic on runway 30.

Wilbur / Wilbur Municipal / 2S8



Communications

ATIS
Tower
CTAF 122.9
Ground
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 112.6 EPH 030°
 35.7 NM to field
FSS
UNICOM.....

Navigation

Elevation: 2178’
Latitude:..... N 47° 45.25’
Longitude:..... W 118° 44.59’
PCL: CTAF
Runway:..... 02/20; 3119’x35’; Asphalt
Lights:..... Med
Indicator:..... Wind-L
Obstacles:
From City: 02 SW
TPA:

Services

Fuel: A 100LL
Services: None
Manager:..... 509-647-2441

Wilson Creek / **Wilson Creek** / 5W1



Communications

ATIS
Tower
CTAF 122.9
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 112.6 EPH 0.56°
 12.9 NM to field
FSS
UNICOM.....

Navigation

Elevation: 1440´
Latitude: N 47° 25.49´
Longitude: W 119° 06.90´
PCL:
Runway: 10/28; 3074´x50´; Asphalt
Lights:
Indicator: Wind
Obstacles:
From City: 01 E
TPA:

Services

Fuel: None
Services: None
Manager: 509-345-2350

Notes

None.

Winthrop / **Methow Valley State** / S52



Communications

ATIS
Tower
CTAF 122.8
Ground.....
NDB (LOM)
APP/DEP
ILS/DME
VOT
CL DEL
NAVAIDS 112.6 EPH 314°
69.1 NM to field
FSS
UNICOM..... 122.8

Notes: Use at own risk. Overflight recommended. Check NOTAMS or call WSDOT Aviation for latest information. Caution: Fire Fighting Base.

Navigation

Elevation: 1694’
Latitude: 48-25-30N
Longitude:..... 120-08-45W
PCL: CTAF
Runway: 13/31; 5049’x75’; Asphalt
Lights: Dusk-dawn, Med
Indicator: Wind; Seg circle
Obstacles:
From City: 03 SE
TPA: 2494’


Services

Fuel: A + 100
Services: None
Manager: WSDOT Aviation
1-800-552-0666
(Washington State Only)
360-651-6300

Notes

Heavy aircraft operations summer months.
Watch for pedestrians, vehicles and animals on runway.

Woodland / **Woodland State** / W27



Communications

ATIS
Tower
CTAF 122.9
Ground.....
NDB (LOM) ...
APP/DEP
ILS/DME
VOT
CL DEL.....
NAVAIDS
FSS
UNICOM.....

Navigation

Elevation: 24’
Latitude:..... 45-53-54N
Longitude:..... 122-44-14W
PCL:
Runway:..... 14/32; 1953’x25’; Asphalt
Lights:..... Dusk-dawn, Low
Indicator:..... Wind
Obstacles:
From City: 01 SE
TPA: 824’

Services

Fuel: None
Services: None
Manager:..... WSDOT Aviation
1-800-552-0666
(Washington State Only)
360-651-6300

Notes: Use at own risk. Overflight recommended. Check NOTAMS or call WSDOT Aviation for latest information.

Yakima / McAllister Field / YKM



Communications

ATIS 125.25
 Tower 133.25
 CTAF 133.25
 Ground 121.9
 NDB (LOM) 371
 APP/DEP 123.8
 ILS/DME 110.1 RWY 27
 VOT
 CL DEL 121.9
 NAVAIDS 116.0 YKM 247°
 4.1 NM to field
 FSS 122.5
 UNICOM 122.95
 ASOS 509-248-1502

Navigation

Elevation: 1095'
 Latitude: N 46° 34.09'
 Longitude: W 120° 32.39'
 PCL: CTAF
 Runway: 04/22; 3835'x150'; Asphalt
 09/27; 7603'x150'; Asphalt
 Lights: Dusk-dawn, Med, High
 Indicator: Wind-L; Seg circle
 Obstacles:
 From City: 03 S
 TPA:

Services

Fuel: A 100LL
 Services: Major Airframe and
 Power Plant
 Manager: 509-575-6149

Notes None.

Page
136

Yelm / **Western Airpark** / 92W



Communications

ATIS
 Tower
 CTAF
 Ground.....
 NDB (LOM)
 APP/DEP
 ILS/DME
 VOT
 CL DEL.....
 NAVAIDS
 FSS
 UNICOM..... 122.8

Navigation

Elevation: 390'
 Latitude:..... N 46° 55.50'
 Longitude:..... W 122° 33.18'
 PCL:
 Runway:..... 09/27; 2845'x30'; Asphalt
 Lights:..... Yes, NSTD
 Indicator:..... Yes, Wind
 Obstacles: Trees
 From City:
 TPA:

Services

Fuel: None
 Services: None
 Manager:..... 360-458-5878

Notes Caution: Military Operations and MOAs North and West.

Page
137

ELT Reporting Instructions

WSDOT Aviation handles about 400 non-distress signals each year. These signals require an effort with expense for our volunteer search and rescue force. You can help us in two ways. First, listen on 121.5 just before you shut down your aircraft to see if you have accidentally activated your ELT. Needless to say, you will also hear one close by if it is from another aircraft. The second thing you can do periodically during your flight is listen to 121.5 and see if you hear anything. If you do, either on the ground or in the air, please do the following:

Hearing It On The Ground

If you are on the ground and hear it, please call Flight Service (800) WXBRIEF and tell them where you are and what you hear. It's pretty simple to send a SAR volunteer or an airport representative if we know the airport.

Hearing It In The Air

1. If you are airborne, note your current location and altitude (the higher up you are the further you can hear an ELT; this helps us draw a circle of probability).

2. If you have GPS, latitude and longitude are just absolutely super. If you don't have GPS, then try and give us a VOR, radial, and DME where you are hearing it.
3. If you are working the air route traffic control center or approach control, then pass the data on to them. They will make sure the information gets processed through the SAR response system.
4. If you are not working air traffic control, then give the information to either Flight Watch or Flight Service for them to pass on.
5. If you are unable to establish radio contact, then please call Flight Service Station as soon as you land and pass on the information.

Please note that even though other pilots may have reported the ELT, multiple airborne reports help us narrow down the area of probability.

Wildfire Reporting Instructions

Private and commercial pilot reports of wildfire have played a major role in helping land management agencies protect the timber, wildlife, wilderness, and other property values in Washington State from wildfire.

If you cannot report the fire via radio, upon arrival, please call (800) 562-6010 (toll free from anywhere in Washington State) and furnish the following information:

1. If possible, contact the Seattle Air Route Traffic Control Center, Approach Control, nearest Airport Traffic Control Tower, Flight Service Station, or Flight Watch and report the geographic location of the fire.
2. If possible, give latitude and longitude from a GPS or LORAN receiver.
3. Alternative method is VOR and DME.
4. Please give the approximate size of the fire, estimate the best you can. If you can't estimate acres, use other comparisons such as the size of a football field.
5. Fire behavior, lots of open flame or smoldering. Heavy smoke or no smoke.
6. If possible, report what is burning, slash, brush, mature trees, etc.
7. Do you notice any personnel, logging equipment, fire trucks etc. around the site?

Your timely reporting of the fire helps keep fire and suppression costs within manageable limits. Thank you for your cooperation.

Federal Offices

National Transportation Safety Board..... (206) 870-2200
19418 Pacific Highway South
Seattle, WA 98188

Portland Flight Standards District Office..... (503) 221-2104
3355 Northeast Cornell Road
Hillsboro, OR 97123

Seattle Flight Standards District Office..... (Toll-free) 1 800 354-1940
1601 Lind Avenue SW
Renton, WA 98055-4056

Spokane Flight Standards District Office..... (Toll-free) 1 800 341-2623
6133 E. Rutter Avenue
Spokane, WA 99212

